# **ANNEX R**

# **Key Source Analysis**

This Annex provides an analysis of key sources of emissions found in this report in order to ensure accuracy and reliability of inventory estimates. The IPCC's *Good Practice Guidance* (IPCC 2000) defines a key source category as a "[source category] that is prioritized within the national inventory system because its estimate has a significant influence on a country's total inventory of direct greenhouse gases in terms of the absolute level of emissions, the trend in emissions, or both." By definition, key source categories are sources that have the greatest contribution to the absolute overall level of national emissions. In addition, when an entire time series of emission estimates is prepared, a thorough investigation of key source categories must also include accounting for the influence of trends of individual source categories. Therefore, a trend assessment is also conducted based on an attempt to identify source categories for which significant uncertainty in the estimate would have considerable effects on overall emission trends. This analysis culls out source categories that diverge from the overall trend in national emissions. Finally, a qualitative evaluation of key source categories should be performed, in order to capture any key source categories that were not identified in either of the quantitative analyses.

The methodology for conducting a key source analysis, as defined by IPCC's *Good Practice Guidance* (IPCC 2000), includes:

- Tier 1 approach (including both level and trend assessments);
- Tier 2 approach (including both level and trend assessments, and incorporating uncertainty analysis); and
- Qualitative approach.

Following this introduction, the Annex will present and analyze key source categories; discuss Tier 1, Tier 2, and qualitative approaches to identifying key sources; provide level and trend assessment equations; and provide a brief statistical evaluation of IPCC's quantitative methodologies for defining key sources.

Table R-1 presents the key source categories for the United States using emissions data in this report, and ranked according to their sector and global warming potential-weighted emissions in 2001. The table also identifies the criteria used in identifying these source categories (i.e., level, trend, and/or qualitative assessments).

Table R-1: Key Source Categories for the United States (1990-2001) Based on Tier 1 Approach

| IPCC Source Categories   | Gas             | Level | Trend | 2001 Emissions<br>(Tg CO <sub>2</sub> Eq.) |
|--|-----------------|-------|-------|--|
| Energy   |                 |       |       | , <u> </u>                                 |
| CO <sub>2</sub> Emissions from Stationary Combustion – Coal            | $CO_2$          | ✓     | ✓     | 1,993.8                                    |
| Mobile Combustion: Road & Other  | $CO_2$          | ✓     | ✓     | 1,538.7                                    |
| CO <sub>2</sub> Emissions from Stationary Combustion – Gas             | $CO_2$          | ✓     | ✓     | 1,168.2                                    |
| CO <sub>2</sub> Emissions from Stationary Combustion – Oil             | $CO_2$          | ✓     | ✓     | 671.6                                      |
| Mobile Combustion: Aviation  | $CO_2$          | ✓     | ✓     | 183.9                                      |
| Fugitive Emissions from Natural Gas Operations                         | CH <sub>4</sub> | ✓     | ✓     | 117.3                                      |
| Fugitive Emissions from Coal Mining & Handling                         | CH <sub>4</sub> | ✓     | ✓     | 60.7                                       |
| Mobile Combustion: Marine  | $CO_2$          | ✓     |       | 58.3                                       |
| Mobile Combustion: Road & Other  | $N_2O$          | ✓     |       | 52.6                                       |
| Fugitive Emissions from Oil Operations                                 | CH <sub>4</sub> |       | ✓     | 21.2                                       |
| Industrial Processes   |                 |       |       |  |
| Emissions from Substitutes for Ozone Depleting Substances              | Several         | ✓     | ✓     | 63.7                                       |
| CO <sub>2</sub> Emissions from Iron and Steel Production               | CO <sub>2</sub> | ✓     | ✓     | 59.1                                       |
| CO <sub>2</sub> Emissions from Cement Production                       | $CO_2$          | ✓     | ✓     | 41.4                                       |
| HFC-23 Emissions from HCFC-22 Manufacture                              | HFCs            | ✓     | ✓     | 19.8                                       |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application | CO <sub>2</sub> |       | ✓     | 16.6                                       |
| SF <sub>6</sub> Emissions from Electrical Equipment                    | SF <sub>6</sub> | ✓     | ✓     | 15.3                                       |

<sup>&</sup>lt;sup>1</sup> See chapter 7 "Methodological Choice and Recalculation" in IPCC (2000).

<sup>&</sup>lt; http://www.ipcc-nggip.iges.or.jp/public/gp/gpgaum.htm>

| N₂O Emissions from Adipic Acid Production                                 | N <sub>2</sub> O |   | ✓ | 4.9     |
|---|------------------|---|---|---------|
| PFC Emissions from Aluminum Production                                    | PFCs             |   | ✓ | 4.1     |
| Agriculture   |                  |   |   |         |
| Direct N₂O Emissions from Agricultural Soils                              | $N_2O$           | ✓ |   | 216.6   |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>  | ✓ | ✓ | 114.8   |
| Indirect N₂O Emissions from Nitrogen Used in Agriculture                  | $N_2O$           | ✓ | ✓ | 77.7    |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>  | ✓ |   | 38.9    |
| Waste   |                  |   |   |         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>  | ✓ | ✓ | 202.9   |
| CO <sub>2</sub> Emissions from Waste Incineration                         | $CO_2$           |   | ✓ | 26.9    |
| Subtotal  |                  |   |   | 6,769.2 |
| Total Emissions   |                  |   |   | 6,936.2 |
| Percent of Total  |                  |   |   | 97.6%   |

Notes: Sinks (e.g., LUCF, Landfill Carbon Storage) are not included in this analysis. The Tier 1 approach for identifying key source categories does not directly include assessment of uncertainty in emissions estimates.

Table R-2 provides a complete listing of source categories by IPCC sector and with additional comments on the criteria used in identifying key source categories. Specifically, the level assessment was preformed for each year that inventory data was available (i.e., 1990 to 2001). As the emissions change over time, categories may fall under or over the threshold for being key. The following points should be noted regarding the key sources identified.

Due to the relative quantity of  $CO_2$  emissions from fossil fuel combustion—particularly from mobile source and stationary combustion of coal, gas, and oil—these sources contributed most to each year's level assessment. Additionally, the following sources were the largest contributors to the level assessments for each year (listed in descending order):

- N<sub>2</sub>O from agricultural soils;
- CH<sub>4</sub> from solid waste disposal sites;
- CO<sub>2</sub> emissions from mobile combustion in the aviation sector;
- Fugitive emissions from natural gas operations;
- CH<sub>4</sub> from enteric fermentation in domestic livestock;
- CO<sub>2</sub> emissions from iron and steel production;
- Indirect N<sub>2</sub>O emissions from nitrogen used in agriculture;
- Fugitive emissions from coal mining;
- N<sub>2</sub>O emissions from mobile road source emissions; and
- CO<sub>2</sub> emissions from cement production.

The remaining key sources identified under the level assessment varied by year. The following five source categories were determined to be key using the level assessment for only part of the complete times series:

- CO<sub>2</sub> emissions from mobile combustion in the marine sector (1990-1997, 1999-2001);
- HFC and PFC emissions from substitutes for ozone depleting substances (1997 to 2001);
- HFC-23 emissions from HCFC-22 manufacture (1990, 1992, 1996, 1998);
- SF<sub>6</sub> Emissions from electrical equipment (1990-1991, 1993-1995); and
- CH<sub>4</sub> Emissions from manure management (1991-1999).

Although other sources have fluctuated by greater percentages since 1990, by virtue of their size,  $CO_2$  emissions from mobile combustion from road vehicles, and stationary combustion of oil, coal, and gas are the greatest contributors to the overall trend for 2001.

Another large contributor to the overall trend is emissions from substitutes for ozone depleting substances (ODSs), which are growing quickly with the Montreal Protocol phase-out of ODSs.

Fugitive emissions from coal mining and PFC emissions from aluminum manufacturing have decreased by approximately 30 and 77 percent, respectively from 1990 through 2001. Reductions in emissions from coal mining are primarily due to EPA's voluntary coalbed methane capture program and the mining of less gassy coal than in previous years. PFC emissions have decreased primarily as a result of emission reduction activities by the aluminum industry.

Two other source categories were determined to be key using the qualitative criteria. A brief discussion of the reasoning for the qualitative designation is given below:

- International bunker fuels are fuels consumed for aviation or marine international transport activities, and emissions from these fuels are reported separately from totals in accordance with IPCC guidelines. If these emissions were included in the totals, bunker fuels would qualify as a key source according to the Tier 1 approach. The amount of uncertainty associated with estimation of emissions from international bunker fuels also supports the qualification of this source category as key.
- Non-energy uses of fossil fuels represent a significant percentage of the total carbon inventory, and the idea that small changes in storage factors for these non-energy uses may result in large changes in storage and emissions qualifies this source category as key.

Following the text of this Annex, Table R-3 through Table R-14 contain each individual year's level assessment and contain further detail on where each source falls within the analysis. Table R-15 details the trend assessment for 1990-2001.

Table R-2: U.S Greenhouse Gas Inventory Source Categories Based on Tier 1 Approach

| IPCC Source Categories  | Direct<br>GHG       | 2001<br>Emissions<br>(Tg CO <sub>2</sub> Eq.) | Key Source<br>Category<br>Flag? | ID<br>Criteria <sup>1</sup> | Comments                             |
|---|---------------------|---|---------------------------------|-----------------------------|--------------------------------------|
| Energy  |                     |   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal       | $CO_2$              | 1,993.8                                       | ✓                               | L, T                        | All years                            |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil        | $CO_2$              | 671.6   | ✓                               | L, T                        | All years                            |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas        | $CO_2$              | 1,168.2                                       | ✓                               | L, T                        | All years                            |
| CO <sub>2</sub> Emissions from Stationary Combustion – Geothermal | $CO_2$              | 0.4   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                | $CO_2$              | 5.2   |                                 |                             |                                      |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion          | CH <sub>4</sub>     | 7.4   |                                 |                             |                                      |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion          | $N_2O$              | 14.2  |                                 |                             |                                      |
| Mobile Combustion: Road & Other                                   | $CO_2$              | 1,538.7                                       | ✓                               | L, T                        | All years                            |
| Mobile Combustion: Road & Other                                   | CH <sub>4</sub>     | 4.1   |                                 |                             |                                      |
| Mobile Combustion: Road & Other                                   | $N_2O$              | 52.6  | ✓                               | L                           | All years                            |
| Mobile Combustion: Aviation                                       | $CO_2$              | 183.9   | ✓                               | L, T                        | All years                            |
| Mobile Combustion: Aviation                                       | CH <sub>4</sub>     | 0.1   |                                 |                             | •                                    |
| Mobile Combustion: Aviation                                       | $N_2O$              | 1.8   |                                 |                             |                                      |
| Mobile Combustion: Marine   | CO <sub>2</sub>     | 58.3  | ✓                               | L                           | Level in 1990 - 1997,<br>1999 - 2001 |
| Mobile Combustion: Marine   | CH <sub>4</sub>     | 0.1   |                                 |                             |                                      |
| Mobile Combustion: Marine   | $N_2O$              | 0.3   |                                 |                             |                                      |
| Fugitive Emissions from Coal Mining & Handling                    | CH <sub>4</sub>     | 60.7  | ✓                               | L, T                        | All years                            |
| Fugitive Emissions from Natural Gas Operations                    | CH <sub>4</sub>     | 117.3   | ✓                               | L, T                        | All years                            |
| Fugitive Emissions from Oil Operations                            | CH <sub>4</sub>     | 21.2  | ✓                               | T                           | •                                    |
| Industrial Processes  |                     |   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from Cement Production                  | $CO_2$              | 41.4  | ✓                               | L, T                        | All years                            |
| CO <sub>2</sub> Emissions from Iron and Steel Production          | $CO_2$              | 59.1  | ✓                               | L, T                        | All years                            |
| CO <sub>2</sub> Emissions from Lime Production                    | $CO_2$              | 12.9  |                                 |                             | •                                    |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use         | $CO_2$              | 5.3   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from Ammonia Produciton and U           | rea CO <sub>2</sub> | 16.6  | ✓                               | T                           |                                      |
| CO2 Emissions from Titanium Dioxide Production                    | $CO_2$              | 1.9   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from Ferrolloys                         | $CO_2$              | 1.3   |                                 |                             |                                      |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption        | $CO_2$              | 1.3   |                                 |                             |                                      |

| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption         | CO <sub>2</sub>  | 4.1   |   |      | _                                    |
|---|------------------|-------|---|------|--------------------------------------|
| CO <sub>2</sub> Emissions from Aluminum Production                          | $CO_2$           | 4.1   |   |      |                                      |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                   | CH <sub>4</sub>  | +     |   |      |                                      |
| CH <sub>4</sub> Emissions from Petrochemical Production                     | CH <sub>4</sub>  | 1.5   |   |      |                                      |
| N <sub>2</sub> O Emissions from Adipic Acid Production                      | $N_2O$           | 4.9   | ✓ | T    |                                      |
| N <sub>2</sub> O Emissions from Nitric Acid Production                      |                  | 17.6  |   |      |                                      |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage              | $N_2O$           | 4.8   |   |      |                                      |
| PFC Emissions from Aluminum Production                                      | PFCs             | 4.1   | ✓ | Т    |                                      |
| SF <sub>6</sub> Emissions from Magnesium Production                         | SF <sub>6</sub>  | 2.5   |   |      |                                      |
| SF <sub>6</sub> Emissions from Electrical Equipment                         | SF <sub>6</sub>  | 15.3  | ✓ | L, T | Level in 1990 - 1991,<br>1993 - 1995 |
| HFC, PFC, and SF <sub>6</sub> Emissions from Semiconducto                   | r Several        | 5.5   |   |      | 1000 1000                            |
| Manufacturing   | Oovolai          | 0.0   |   |      |                                      |
| Emissions from Substitutes for Ozone Depleting Substances                   | Several          | 63.7  | 1 | L, T | Level from 1997 - 2001               |
| HFC-23 Emissions from HCFC-22 Manufacture                                   | HFCs             | 19.8  | 1 | L, T | Level in 1990, 1992,                 |
| TH 0-20 Emissions from Flor 0-22 intandiacture                              | 111 03           | 13.0  | • | ∟, 1 | 1996, 1998                           |
| Agriculture   |                  |       |   |      |                                      |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domesti<br>Livestock | c CH₄            | 114.8 | ✓ | L, T | All years                            |
| CH <sub>4</sub> Emissions from Manure Management                            | CH <sub>4</sub>  | 38.9  | ✓ | L    | Level in 1991 - 1999                 |
| N <sub>2</sub> O Emissions from Manure Management                           | $N_2O$           | 18.0  |   |      |                                      |
| Direct N₂O Emissions from Agricultural Soils                                | N <sub>2</sub> O | 216.6 | ✓ | L    | All years                            |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture       | N <sub>2</sub> O | 77.7  | ✓ | L. T | All years                            |
| CH <sub>4</sub> Emissions from Rice Production                              | CH <sub>4</sub>  | 7.6   |   | ,    | ,                                    |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning                 | CH <sub>4</sub>  | 0.8   |   |      |                                      |
| N₂O Emissions from Agricultural Residue Burning                             | $N_2O$           | 0.5   |   |      |                                      |
| Waste   |                  |       |   |      |                                      |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                   | CH <sub>4</sub>  | 202.9 | ✓ | L, T | All years                            |
| CH <sub>4</sub> Emissions from Wastewater Handling                          | CH <sub>4</sub>  | 28.3  |   | ,    | ,                                    |
| N <sub>2</sub> O Emissions from Wastewater Handling                         | $N_2O$           | 15.3  |   |      |                                      |
| CO <sub>2</sub> Emissions from Waste Incineration                           | CO <sub>2</sub>  | 26.9  | ✓ | Т    |                                      |
| N <sub>2</sub> O Emissions from Waste Incineration                          | N <sub>2</sub> O | 0.2   |   |      |                                      |
| 10 11 11 11 11  |                  |       |   |      |                                      |

<sup>&</sup>lt;sup>1</sup> Qualitative criteria.

Notes: Sinks (e.g., LUCF, Landfill Carbon Storage) are not included in this analysis. The Tier 1 approach for identifying key source categories does not directly include assessment of uncertainty in emissions estimates.

### Tier 1 Approach

The Tier 1 method for identifying key source categories assesses the impacts of all IPCC-defined source categories on the level and trend of the national emission inventory for the 1990 through 2001 time-series, but works independently of any formal uncertainty analysis. However, it is important to mention that although conducting a key source analysis can be very valuable in improving the U.S. inventory, it would be ideal to undertake a full uncertainty analysis in order to be able to take into account the level of uncertainty associated with each estimate.

When using a Tier 1 approach for the *level*, a predetermined cumulative emissions threshold is used to identify key source categories. When source categories are sorted in order of decreasing emissions, those that fall at the top of the list and cumulatively account for 95 percent of emissions are considered key source categories. The 95 percent threshold was established based on an evaluation of several inventories, and was designed to establish a general level where the key source category analysis covers 90 percent of inventory uncertainty. The Tier 1 approach for the *trend* uses a 95 percent contribution threshold of the cumulative contribution to the trend assessment metric, which was also designed to establish a general level where the key source category analysis covers 90 percent of inventory uncertainty. The Tier 1 method is completed using a simple spreadsheet analysis based on equations for both level and trend assessments that are described in detail below. It is the current approach that the United States is taking to identify key source categories of greenhouse gas emissions until a rigorous uncertainty analysis is completed.

#### Tier 2 Approach

IPCC recommends that inventory agencies use the Tier 2 method for identifying key source categories if nationally derived source-level uncertainties are measured. The Tier 2 approach is a more detailed analysis that

<sup>+</sup> Does not exceed 0.05 Ta CO<sub>2</sub> Ea.

builds on the Tier 1 approach by multiplying the results of the Tier 1 analysis by the relative uncertainty of each source category. This method is likely to reduce the number of key source categories under consideration. Using the Tier 2 approach, key source categories represent 90 percent of the quantified uncertainty contribution, as opposed to those that sum to the pre-determined cumulative emissions or trend threshold. A simple spreadsheet version accounts for the uncertainty contribution by applying the source category percentage uncertainty estimates to the Tier 1 level and trend assessments.

The U.S. EPA is in the process of developing a robust plan to support data gathering for both a Tier 1 and a Monte Carlo level analysis. In the Monte Carlo approach to uncertainty analysis, uncertainty estimates for each source category are developed based on (a) source category-specific input variables, such as activity data and emission factors, (b) the statistical properties underlying the input variables (i.e., the characteristics of the probability distributions of the input variables, such as mean and standard deviation in the case of a normal distribution), and (c) mathematical relationship between the input variables used to estimate the emissions for each source category (e.g., emissions = activity data \* emission factor). Initial work on select sources has provided some insight into the data requirements and resources necessary to conduct a Monte Carlo Analysis. Over time, the United States seeks to conduct a Monte Carlo analysis on key sources.

## **Qualitative Approach**

In addition to conducting a quantitative assessment like the ones described above, a variety of qualitative criteria could be applied to identify additional key source categories. The following qualitative criteria for identifying key source categories have been outlined in the *Good Practice Guidance* (IPCC 2000). A source category should be identified as a key source if:

- Mitigation techniques and technologies are being implemented to reduce emissions from the source category that are expected to be reflected in the inventory estimates;
- Significant changes in emissions (i.e., growth or decline) from the source category is expected in the future;
- High uncertainty is evident for the source category;
- Unexpectedly low or high emissions, or other order of magnitude discrepancies, are apparent for the source category; and
- Major changes in estimation methodology or data have occurred.

In many cases, the results of this qualitative approach to identifying key source categories will overlap with source categories already defined as key source categories through the quantitative analysis. However, the qualitative method may illuminate a few additional key source categories, which should then be included in the final list of key source categories. However, the application of such qualitative criteria are primarily intended to identify any additional source categories that were "just under" the threshold criteria for the level assessment and not for extremely minor source categories. Among those that are considered key from a qualitative standpoint are emissions from international bunker fuels and non-fuel use of fossil fuels. International bunker fuel emissions are not included in national totals, and are not considered in the level or trend analyses mentioned above, but are considered key from a qualitative standpoint due to their unique position within the emissions accounting framework. Additionally, non-fuel use of fossil fuels is also not included in the level or trend analyses. However, due to the significant quantity of fossil fuels consumed in the United States that are not used to produce energy (generically referred to as feedstocks), it is imperative to understand their fate and to determine how much of the consumption results in emissions, versus in stored carbon.

### Level and Trend Assessments of Key Source Categories

#### **Level Assessment**

A level assessment was performed for years 1990 to 2001. Key sources were identified as any source category which, when summed in descending order of magnitude for a given year, cumulatively add up to 95 percent of the total level assessment for that year. Level estimates are based upon the following equation:

Source Category Level Assessment = Source Category / Total Estimate

$$L_{x,t} = E_{x,t} / E_t$$

Where:

 $L_{x,t}$  = level assessment for source x in year t  $E_{x,t}$  = emissions estimate for source x in year t

 $E_t$  = total emissions estimate for year t

#### **Trend Assessment**

A trend assessment was then conducted to evaluate how significantly the difference between the source category's trend and the overall inventory trend affect the overall trend. This assessment was done by multiplying the difference between the source category trend and the total inventory trend by the source category level assessment. Trend assessments were based upon the following equation:

Source Category Trend Assessment = (Source Category Level Assessment) × | (Source Category Trend – Total

Trend) |  

$$T_{x,t} = L_{x,t} \times | [((E_{x,t} - E_{x,o}) / E_{x,t}) - ((E_t - E_o) / E_t)] |$$

Where:

 $T_{x,t}$  = trend assessment for source x in year t

 $L_{x,t}$  = level assessment for source x in year t

 $E_{x,t}$  and  $E_{x,0}$  = emissions estimates for source x in year t and year 0, respectively

 $E_t$  and  $E_0$  = total emissions estimate for year t and year 0, respectively

0 = base year (e.g., 1990)

The following section of this annex evaluates these key source category analyses. The remainder of the annex summarizes the key source categories identified by these analyses, and quantifies their contribution to total level and trend assessments.

# **Evaluation of Key Source Identification Methodologies**

#### **Level Assessment**

The Tier 1 approach for level assessment defines the source category contribution as the percentage of total inventory emissions from that source category. Only emission source categories are considered.<sup>2</sup> To determine key source categories, the level assessments are sorted in decreasing order, so that the source categories with the highest level assessments appear first. The level assessments are summed until the threshold of 95 percent is reached; all source categories that fall within that cumulative 95 percent are considered key source categories.

Since the Tier 1 approach does not explicitly incorporate uncertainties, the level assessment key source categories will be the largest contributors to total emissions but will not necessarily have large contributions to the total uncertainty. Focusing resources on improving the methodologies for estimating emissions from the source categories with the largest emissions is undesirable if those emissions are estimated relatively precisely using the current methodologies. Nevertheless, the analysis (reported in IPCC 2000) of several inventories that have source category uncertainties showed that about 90 percent of the total uncertainty could be covered by the source categories in the top 95 percent of emissions.

It is important to note that this key source category analysis can be very sensitive to the definitions of the source categories. If a large source category is split into many subcategories, then the subcategories may have contributions to the total inventory that are too small for those source categories to be considered key. Similarly, a collection of small, non-key source categories adding up to less than 5 percent of total emissions could become key source categories if those source categories were aggregated into a single source category. A consistent approach to addressing this issue is available in the *Good Practice Guidance*. Table 7.1 in IPCC (2000) provides guidance and a

<sup>&</sup>lt;sup>2</sup> The level assessment is intended to be applied to sources and to exclude sinks. Although the assessment would still be valid if sinks were included (as unsigned values), the 95 percent threshold by which sources are deemed "key" would lose significance because it is based on an analysis (Flusgrud et al. 1999) of selected inventories where sinks were excluded.

suggested list of source categories for analysis, although countries are given some discretion based upon their national circumstances.

Some important components of other source categories were not included in the list of IPCC source categories in the key source category chapter of IPCC's *Good Practice Guidance* (IPCC 2000). These source categories include fossil fuel feedstocks, international bunkers, and emissions from U.S. territories. They are potentially large source categories that often are derived from unique data sources, have a significant impact on the uncertainty of the estimates.

#### **Trend Assessment**

The Tier 1 approach for trend assessment is defined as the product of the source category level assessment (i.e., source category emissions as a fraction, or percentage, of total emissions) and the absolute difference between the source category trend and the total trend. In turn, the source category trend is defined as the change in source category emissions from the base year to the current year, as a percentage of current year emissions from that source category. The total trend is the percentage change in total inventory emissions from the base year to the current year. Thus, the *source category trend assessment* will be large if the source category represents a large percentage of emissions and/or has a trend that is quite different from the overall inventory trend. Only emissions source categories are considered.<sup>3</sup> To determine key source categories, the trend assessments are sorted in decreasing order, so that the source categories with the highest trend assessments appear first. The trend assessments are summed until the threshold of 95 percent is reached; all source categories that fall within that cumulative 95 percent are considered key source categories.

It is important to note that the trend assessment calculation assumes that the base and current year source category emission uncertainties are the same. Therefore, the trend assessment is a useful measure in cases where the percentage uncertainties of the base and current year source category emission levels are thought to be the same. However, its usefulness diminishes when individual source category uncertainties are different between the base year and the current year. Such time series inconsistencies could result from changes in data quality or availability over time. As more rigorous methods to determine uncertainties in emission estimates are applied, it may be necessary to revisit the results of the trend assessments.

Another important caveat to the identification of key source categories through the trend assessment is that, while each individual source category's trend assessment provides a measure of how sensitive the overall trend in the inventory is to the trend of a particular source category, the sum of a number of trend assessments does not yield the total sensitivity of the overall trend to changes in all of those source categories. In other words, the cumulative percentages should not be considered a measure of the percentage contributions to the trend from those source categories.

The trend assessment key source categories are also sensitive to the level of aggregation of the source categories; and the IPCC list of source categories may exclude some important, potentially key source category components.

<sup>&</sup>lt;sup>3</sup> The trend assessment is intended to be applied to sources and to exclude sinks. Although the assessment would still be valid if sinks were included (as unsigned values), the 95 percent threshold by which sources are deemed "key" would lose significance because it is based on an analysis (Flusgrud et al. 1999) of selected inventories where sinks were excluded.

Table R-3: 1990 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse                | Base Year<br>Estimate    | Current Year<br>Estimate | Level          | Cumulative   |
|---|-------------------------------------|--------------------------|--------------------------|----------------|--------------|
| IPCC Source Categories  | Gas                                 | (Tg CO <sub>2</sub> Eq.) |                          | Assessment     | Total        |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal               | CO <sub>2</sub>                     | 1,697.29                 | 1,697.29                 | 0.28           | 0.28         |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>                     | 1,244.98                 | 1,244.98                 | 0.20           | 0.48         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                | CO <sub>2</sub>                     | 976.63                   | 976.63                   | 0.16           | 0.64         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                | CO <sub>2</sub>                     | 669.99                   | 669.99                   | 0.11           | 0.75         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>                     | 212.07                   | 212.07                   | 0.03           | 0.78         |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                 | N <sub>2</sub> O                    | 193.71                   | 193.71                   | 0.03           | 0.81         |
| Mobile Combustion: Aviation   | CO <sub>2</sub>                     | 176.88                   | 176.88                   | 0.03           | 0.84         |
| Fugitive Emissions from Natural Gas Operations                            | CH <sub>4</sub>                     | 122.01                   | 122.01                   | 0.02           | 0.86         |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>                     | 117.85                   | 117.85                   | 0.02           | 0.88         |
| Fugitive Emissions from Coal Mining and Handling                          | CH <sub>4</sub>                     | 87.12                    | 87.12                    | 0.01           | 0.90         |
| CO <sub>2</sub> Emissions from Iron and Steel Production                  | CO <sub>2</sub>                     | 85.41                    | 85.41                    | 0.01           | 0.91         |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture     | N <sub>2</sub> O                    | 73.83                    | 73.83                    | 0.01           | 0.92         |
| Mobile Combustion: Marine   | CO <sub>2</sub>                     | 48.60                    | 48.60                    | 0.01           | 0.93         |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O                    | 48.56                    | 48.56                    | 0.01           | 0.94         |
| HFC-23 Emissions from HCFC-22 Manufacture                                 | HFCs                                | 34.98                    | 34.98                    | 0.01           | 0.94         |
| CO <sub>2</sub> Emissions from Cement Production                          | CO <sub>2</sub>                     | 33.28                    | 33.28                    | 0.01           | 0.95         |
| SF <sub>6</sub> Emissions from Electrical Equipment                       | SF <sub>6</sub>                     | 32.10                    | 32.10                    | 0.01           | 0.95         |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>                     | 31.28                    | 31.28                    | 0.01           | 0.96         |
| Fugitive Emissions from Oil Operations                                    | CH <sub>4</sub>                     | 27.49                    | 27.49                    | <0.01          | 0.96         |
| CH <sub>4</sub> Emissions from Wastewater Handling                        | CH <sub>4</sub>                     | 24.08                    | 24.08                    | <0.01          | 0.97         |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application    | CO <sub>2</sub>                     | 19.31                    | 19.31                    | <0.01          | 0.97         |
| PFC Emissions from Aluminum Production                                    | PFCs                                | 18.11                    | 18.11                    | <0.01          | 0.97         |
| N <sub>2</sub> O Emissions from Nitric Acid Production                    | N <sub>2</sub> O                    | 17.85                    | 17.85                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Manure Management                         | N <sub>2</sub> O                    | 16.18                    | 16.18                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Adipic Acid Production                    | N <sub>2</sub> O                    | 15.20                    | 15.20                    | <0.01          | 0.98         |
| CO <sub>2</sub> Emissions from Waste Incineration                         | CO <sub>2</sub>                     | 14.07                    | 14.07                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Wastewater Handling                       | N <sub>2</sub> O                    | 12.71                    | 12.71                    | <0.01          | 0.99         |
| Non-CO2 Emissions from Stationary Combustion                              | N <sub>2</sub> O                    | 12.52                    | 12.52                    | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Lime Production                            | CO <sub>2</sub>                     | 11.24                    | 11.24                    | <0.01          | 0.99         |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion                 | CH <sub>4</sub>                     | 8.14                     | 8.14                     | <0.01          | 0.99         |
| CH <sub>4</sub> Emissions from Rice Production                            | CH <sub>4</sub>                     | 7.12                     | 7.12                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Aluminum Production                        | CO <sub>2</sub>                     | 6.31                     | 6.31                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                        | CO <sub>2</sub>                     | 5.51                     | 5.51                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                 | CO <sub>2</sub>                     | 5.47                     | 5.47                     | <0.01          | 0.99         |
| SF <sub>6</sub> Emissions from Magnesium Production                       | SF <sub>6</sub>                     | 5.37                     | 5.37                     | <0.01          | 1.00         |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>                     | 4.73                     | 4.73                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage            | N <sub>2</sub> O                    | 4.30                     | 4.73                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption       | CO <sub>2</sub>                     | 4.14                     | 4.14                     | <0.01          | 1.00         |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture    | SF <sub>6</sub>                     | 2.86                     | 2.86                     | <0.01          | 1.00         |
|   | CO <sub>2</sub>                     | 1.98                     | 1.98                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Ferroalloys Mobile Combustion: Aviation    |                                     |                          |                          |                |              |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                | N <sub>2</sub> O<br>CO <sub>2</sub> | 1.71                     | 1.71<br>1.31             | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Petrochemical Production                   | CH <sub>4</sub>                     | 1.31<br>1.17             | 1.31                     | <0.01          | 1.00<br>1.00 |
|   |                                     |                          |                          | <0.01          |              |
| Emissions from Substitutes for Ozone Depleting Substances                 | Several<br>CO <sub>2</sub>          | 0.94<br>0.90             | 0.94<br>0.90             | <0.01<br><0.01 | 1.00<br>1.00 |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                |                                     |                          |                          |                |              |
| CH4 Emissions from Agricultural Residue Burning                           | CH <sub>4</sub>                     | 0.68                     | 0.68                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | CO <sub>2</sub>                     | 0.40                     | 0.40                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning              | N <sub>2</sub> O                    | 0.37                     | 0.37                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | N₂O                                 | 0.36                     | 0.36                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Waste Incineration                        | N <sub>2</sub> O                    | 0.29                     | 0.29                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | CH <sub>4</sub>                     | 0.16                     | 0.16                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | CH <sub>4</sub>                     | 0.07                     | 0.07                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                 | CH <sub>4</sub>                     | 0.03                     | 0.03                     | <0.01          | 1.00         |
| Note: Sinks (e.g. LLICE Landfill Carbon Storage) are not included         |                                     | 6,139.64                 | 6,139.64                 | 1.00           |              |

Table R-4: 1991 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse | Base Year<br>Estimate (Tg | Current Year<br>Estimate | Level      | Cumulative |
|---|----------------------|---------------------------|--------------------------|------------|------------|
| IPCC Source Categories  | Gas                  | CO <sub>2</sub> Eq.)      |                          | Assessment | Total      |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal               | CO <sub>2</sub>      | 1,697.29                  | 1,697.20                 | 0.28       | 0.28       |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>      | 1,244.98                  | 1,221.80                 | 0.20       | 0.48       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                | CO <sub>2</sub>      | 976.63                    | 1,002.27                 | 0.16       | 0.64       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                | CO <sub>2</sub>      | 669.99                    | 649.46                   | 0.11       | 0.75       |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>      | 212.07                    | 211.78                   | 0.03       | 0.78       |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                 | N <sub>2</sub> O     | 193.71                    | 195.54                   | 0.03       | 0.82       |
| Mobile Combustion: Aviation   | CO <sub>2</sub>      | 176.88                    | 169.34                   | 0.03       | 0.84       |
| Fugitive Emissions from Natural Gas Operations                            | CH <sub>4</sub>      | 122.01                    | 123.80                   | 0.02       | 0.86       |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>      | 117.85                    | 117.10                   | 0.02       | 0.88       |
| Fugitive Emissions from Coal Mining and Handling                          | CH <sub>4</sub>      | 87.12                     | 83.93                    | 0.01       | 0.90       |
| CO <sub>2</sub> Emissions from Iron and Steel Production                  | CO <sub>2</sub>      | 85.41                     | 76.24                    | 0.01       | 0.91       |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture     | N <sub>2</sub> O     | 73.83                     | 75.01                    | 0.01       | 0.92       |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O     | 48.56                     | 50.94                    | 0.01       | 0.93       |
| Mobile Combustion: Marine   | CO <sub>2</sub>      | 48.60                     | 45.91                    | 0.01       | 0.94       |
| SF <sub>6</sub> Emissions from Electrical Equipment                       | SF <sub>6</sub>      | 32.10                     | 33.36                    | 0.01       | 0.94       |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>      | 31.28                     | 33.20                    | 0.01       | 0.95       |
| CO <sub>2</sub> Emissions from Cement Production                          | CO <sub>2</sub>      | 33.28                     | 32.54                    | 0.01       | 0.95       |
| HFC-23 Emissions from HCFC-22 Manufacture                                 | HFCs                 | 34.98                     | 30.77                    | 0.01       | 0.96       |
| Fugitive Emissions from Oil Operations                                    | CH <sub>4</sub>      | 27.49                     | 27.72                    | <0.01      | 0.96       |
| CH <sub>4</sub> Emissions from Wastewater Handling                        | CH₄                  | 24.08                     | 24.42                    | <0.01      | 0.97       |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application    | $CO_2$               | 19.31                     | 19.17                    | <0.01      | 0.97       |
| N <sub>2</sub> O Emissions from Nitric Acid Production                    | $N_2O$               | 17.85                     | 17.83                    | <0.01      | 0.97       |
| N <sub>2</sub> O Emissions from Manure Management                         | $N_2O$               | 16.18                     | 16.69                    | <0.01      | 0.98       |
| CO <sub>2</sub> Emissions from Waste Incineration                         | $CO_2$               | 14.07                     | 15.73                    | <0.01      | 0.98       |
| PFC Emissions from Aluminum Production                                    | PFCs                 | 18.11                     | 15.68                    | <0.01      | 0.98       |
| N <sub>2</sub> O Emissions from Adipic Acid Production                    | $N_2O$               | 15.20                     | 14.84                    | <0.01      | 0.98       |
| N <sub>2</sub> O Emissions from Wastewater Handling                       | $N_2O$               | 12.71                     | 13.05                    | <0.01      | 0.99       |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion                 | $N_2O$               | 12.52                     | 12.30                    | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Lime Production                            | $CO_2$               | 11.24                     | 11.01                    | <0.01      | 0.99       |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion                 | CH <sub>4</sub>      | 8.14                      | 8.25                     | <0.01      | 0.99       |
| CH <sub>4</sub> Emissions from Rice Production                            | CH <sub>4</sub>      | 7.12                      | 7.00                     | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Aluminum Production                        | $CO_2$               | 6.31                      | 6.43                     | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                        | $CO_2$               | 5.51                      | 5.59                     | <0.01      | 0.99       |
| SF <sub>6</sub> Emissions from Magnesium Production                       | SF <sub>6</sub>      | 5.37                      | 5.11                     | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                 | $CO_2$               | 5.47                      | 4.79                     | <0.01      | 1.00       |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>      | 4.73                      | 4.69                     | < 0.01     | 1.00       |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage            | $N_2O$               | 4.30                      | 4.18                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption       | CO <sub>2</sub>      | 4.14                      | 4.04                     | <0.01      | 1.00       |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture    | SF <sub>6</sub>      | 2.86                      | 2.86                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Ferroalloys                                | CO <sub>2</sub>      | 1.98                      | 1.98                     | <0.01      | 1.00       |
| Mobile Combustion: Aviation   | N <sub>2</sub> O     | 1.71                      | 1.64                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                | CO <sub>2</sub>      | 1.31                      | 1.33                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Petrochemical Production                   | CH₄                  | 1.17                      | 1.19                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                | CO <sub>2</sub>      | 0.90                      | 0.93                     | <0.01      | 1.00       |
| Emissions from Substitutes for Ozone Depleting Substances                 | Several              | 0.94                      | 0.84                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning               | CH <sub>4</sub>      | 0.68                      | 0.64                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | CO <sub>2</sub>      | 0.40                      | 0.41                     | < 0.01     | 1.00       |
| Mobile Combustion: Marine   | N <sub>2</sub> O     | 0.36                      | 0.38                     | <0.01      | 1.00       |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning              | N <sub>2</sub> O     | 0.37                      | 0.36                     | < 0.01     | 1.00       |
| N <sub>2</sub> O Emissions from Waste Incineration                        | N <sub>2</sub> O     | 0.29                      | 0.24                     | <0.01      | 1.00       |
| Mobile Combustion: Aviation   | CH <sub>4</sub>      | 0.16                      | 0.15                     | < 0.01     | 1.00       |
| Mobile Combustion: Marine   | CH <sub>4</sub>      | 0.07                      | 0.07                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                 | CH <sub>4</sub>      | 0.03                      | 0.02                     | <0.01      | 1.00       |
| TOTAL   |                      | 6,139.64                  | 6,101.77                 | 1.00       |            |

Table R-5: 1992 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse                 | Base Year<br>Estimate    | Current Year<br>Estimate | Level          | Cumulative   |
|---|--------------------------------------|--------------------------|--------------------------|----------------|--------------|
| IPCC Source Categories  | Gas                                  | (Tg CO <sub>2</sub> Eq.) | (Tg CO <sub>2</sub> Eq.) | Assessment     | Total        |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal   | CO <sub>2</sub>                      | 1,697.29                 | 1,714.88                 | 0.28           | 0.28         |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>                      | 1,244.98                 | 1,248.66                 | 0.20           | 0.48         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas  | CO <sub>2</sub>                      | 976.63                   | 1,039.63                 | 0.17           | 0.64         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil  | CO <sub>2</sub>                      | 669.99                   | 655.50                   | 0.11           | 0.75         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites   | CH <sub>4</sub>                      | 212.07                   | 214.71                   | 0.03           | 0.78         |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils   | N <sub>2</sub> O                     | 193.71                   | 202.57                   | 0.03           | 0.82         |
| Mobile Combustion: Aviation   | CO <sub>2</sub>                      | 176.88                   | 167.01                   | 0.03           | 0.84         |
| Fugitive Emissions from Natural Gas Operations  | CH <sub>4</sub>                      | 122.01                   | 123.98                   | 0.02           | 0.86         |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock                                   | CH <sub>4</sub>                      | 117.85                   | 119.39                   | 0.02           | 0.88         |
| Fugitive Emissions from Coal Mining and Handling  | CH <sub>4</sub>                      | 87.12                    | 81.81                    | 0.01           | 0.90         |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture                                       | N <sub>2</sub> O                     | 73.83                    | 75.73                    | 0.01           | 0.91         |
| CO <sub>2</sub> Emissions from Iron and Steel Production  | CO <sub>2</sub>                      | 85.41                    | 75.01                    | 0.01           | 0.92         |
| Mobile Combustion: Marine   | CO <sub>2</sub>                      | 48.60                    | 56.18                    | 0.01           | 0.93         |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O                     | 48.56                    | 54.19                    | 0.01           | 0.94         |
| HFC-23 Emissions from HCFC-22 Manufacture   | HFCs                                 | 34.98                    | 34.87                    | 0.01           | 0.94         |
| CO <sub>2</sub> Emissions from Cement Production  | CO <sub>2</sub>                      | 33.28                    | 32.79                    | 0.01           | 0.95         |
| CH <sub>4</sub> Emissions from Manure Management  | CH <sub>4</sub>                      | 31.28                    | 32.14                    | 0.01           | 0.95         |
| SF <sub>6</sub> Emissions from Electrical Equipment   | SF <sub>6</sub>                      | 32.10                    | 31.14                    | 0.01           | 0.96         |
| Fugitive Emissions from Oil Operations  | CH <sub>4</sub>                      | 27.49                    | 26.60                    | <0.01          | 0.96         |
| CH <sub>4</sub> Emissions from Wastewater Handling  | CH <sub>4</sub>                      | 24.08                    | 25.04                    | <0.01          | 0.97         |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application                                      | CO <sub>2</sub>                      | 19.31                    | 19.99                    | <0.01          | 0.97         |
| N <sub>2</sub> O Emissions from Nitric Acid Production  | N <sub>2</sub> O                     | 17.85                    | 18.30                    | <0.01          | 0.97         |
| N <sub>2</sub> O Emissions from Manure Management   | N <sub>2</sub> O                     | 16.18                    | 16.46                    | <0.01          | 0.98         |
| CO <sub>2</sub> Emissions from Waste Incineration   | CO <sub>2</sub>                      | 14.07                    | 16.25                    | <0.01          | 0.98         |
| <del>-</del>  | PFCs                                 | 18.11                    | 14.55                    | <0.01          | 0.98         |
| PFC Emissions from Aluminum Production<br>N₂O Emissions from Wastewater Handling                            | N <sub>2</sub> O                     | 12.71                    | 13.31                    | <0.01          | 0.98         |
|   | N <sub>2</sub> O<br>N <sub>2</sub> O | 15.20                    | 13.05                    | <0.01          | 0.90         |
| N <sub>2</sub> O Emissions from Adipic Acid Production  | N <sub>2</sub> O<br>N <sub>2</sub> O | 12.52                    | 12.69                    | <0.01          | 0.99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion  | CO <sub>2</sub>                      | 11.24                    | 11.39                    | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Lime Production  |                                      |                          |                          |                |              |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion<br>CH <sub>4</sub> Emissions from Rice Production | CH4<br>CH4                           | 8.14<br>7.12             | 8.66<br>7.87             | <0.01<br><0.01 | 0.99<br>0.99 |
|   | CO <sub>2</sub>                      | 6.31                     | 6.31                     |                |              |
| CO <sub>2</sub> Emissions from Aluminum Production  |                                      |                          |                          | <0.01          | 0.99         |
| SF <sub>6</sub> Emissions from Magnesium Production   | SF <sub>6</sub>                      | 5.37                     | 5.40                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring  | CO <sub>2</sub><br>CO <sub>2</sub>   | 5.51                     | 5.06                     | <0.01          | 0.99<br>1.00 |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use   |                                      | 5.47                     | 4.79                     | <0.01          |              |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>                      | 4.73                     | 4.73                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption   | CO <sub>2</sub>                      | 4.14                     | 4.07                     | < 0.01         | 1.00         |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage  | N <sub>2</sub> O                     | 4.30                     | 3.94                     | <0.01          | 1.00         |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture                                      | SF <sub>6</sub>                      | 2.86                     | 2.86                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Ferroalloys  | CO <sub>2</sub>                      | 1.98                     | 1.98                     | < 0.01         | 1.00         |
| Mobile Combustion: Aviation   | N₂O                                  | 1.71                     | 1.62                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production  | CO <sub>2</sub>                      | 1.31                     | 1.52                     | < 0.01         | 1.00         |
| Emissions from Substitutes for Ozone Depleting Substances   | Several                              | 0.94                     | 1.52                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Petrochemical Production   | CH <sub>4</sub>                      | 1.17                     | 1.26                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption  | CO <sub>2</sub>                      | 0.90                     | 0.94                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning   | CH <sub>4</sub>                      | 0.68                     | 0.75                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | N <sub>2</sub> O                     | 0.36                     | 0.43                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy                                    | CO <sub>2</sub>                      | 0.40                     | 0.43                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning  | N <sub>2</sub> O                     | 0.37                     | 0.41                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Waste Incineration  | $N_2O$                               | 0.29                     | 0.27                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | CH <sub>4</sub>                      | 0.16                     | 0.15                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | CH <sub>4</sub>                      | 0.07                     | 0.08                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Silicon Carbide Production   | CH <sub>4</sub>                      | 0.03                     | 0.02                     | <0.01          | 1.00         |
| TOTAL   |                                      | 6,139.64                 | 6,212.93                 | 1.00           |              |

Table R-6: 1993 Key Source Tier 1 Analysis - Level Assessment

|  | Direct              | Base Year                            | Current Year                      | 11                  | 0                   |
|--|---------------------|--------------------------------------|-----------------------------------|---------------------|---------------------|
| IDCC Source Categories   | Greenhouse<br>Gas   | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Estimate (Tg CO <sub>2</sub> Eq.) | Level<br>Assessment | Cumulative<br>Total |
| IPCC Source Categories CO <sub>2</sub> Emissions from Stationary Combustion - Coal | CO <sub>2</sub>     | 1,697.29                             | 1,777.91                          | 0.28                | 0.28                |
| Mobile Combustion: Road & Other  | CO <sub>2</sub>     | 1,244.98                             | 1,284.81                          | 0.20                | 0.28                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                         | CO <sub>2</sub>     | 976.63                               | 1,065.16                          | 0.20                | 0.45                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                         | CO <sub>2</sub>     | 669.99                               | 655.08                            | 0.10                | 0.76                |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                          | CH4                 | 212.07                               | 216.78                            | 0.03                | 0.79                |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                          | N <sub>2</sub> O    | 193.71                               | 195.84                            | 0.03                | 0.82                |
| Mobile Combustion: Aviation  | CO <sub>2</sub>     | 176.88                               | 168.04                            | 0.03                | 0.85                |
| Fugitive Emissions from Natural Gas Operations                                     | CH <sub>4</sub>     | 122.01                               | 127.36                            | 0.02                | 0.87                |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock          | CH <sub>4</sub>     | 117.85                               | 118.82                            | 0.02                | 0.89                |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture              | N <sub>2</sub> O    | 73.83                                | 77.78                             | 0.01                | 0.90                |
| CO <sub>2</sub> Emissions from Iron and Steel Production                           | CO <sub>2</sub>     | 85.41                                | 69.86                             | 0.01                | 0.91                |
| Fugitive Emissions from Coal Mining and Handling                                   | CH <sub>4</sub>     | 87.12                                | 69.68                             | 0.01                | 0.92                |
| Mobile Combustion: Road & Other  | N <sub>2</sub> O    | 48.56                                | 56.59                             | 0.01                | 0.93                |
| Mobile Combustion: Marine  | CO <sub>2</sub>     | 48.60                                | 48.51                             | 0.01                | 0.94                |
| SF <sub>6</sub> Emissions from Electrical Equipment                                | SF <sub>6</sub>     | 32.10                                | 35.14                             | 0.01                | 0.94                |
| CO <sub>2</sub> Emissions from Cement Production                                   | CO <sub>2</sub>     | 33.28                                | 34.62                             | 0.01                | 0.95                |
| CH <sub>4</sub> Emissions from Manure Management                                   | CH <sub>4</sub>     | 31.28                                | 32.93                             | 0.01                | 0.95                |
| HFC-23 Emissions from HCFC-22 Manufacture  | HFCs                | 34.98                                | 31.82                             | 0.01                | 0.96                |
| Fugitive Emissions from Oil Operations   | CH <sub>4</sub>     | 27.49                                | 25.45                             | <0.01               | 0.96                |
| CH <sub>4</sub> Emissions from Wastewater Handling                                 | CH <sub>4</sub>     | 24.08                                | 25.34                             | < 0.01              | 0.97                |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application             | $CO_2$              | 19.31                                | 20.41                             | <0.01               | 0.97                |
| N <sub>2</sub> O Emissions from Nitric Acid Production                             | $N_2O$              | 17.85                                | 18.57                             | < 0.01              | 0.97                |
| CO <sub>2</sub> Emissions from Waste Incineration                                  | CO <sub>2</sub>     | 14.07                                | 17.10                             | < 0.01              | 0.98                |
| N <sub>2</sub> O Emissions from Manure Management                                  | $N_2O$              | 16.18                                | 16.89                             | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Adipic Acid Production                             | $N_2O$              | 15.20                                | 13.98                             | < 0.01              | 0.98                |
| PFC Emissions from Aluminum Production   | PFCs                | 18.11                                | 13.86                             | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Wastewater Handling                                | $N_2O$              | 12.71                                | 13.52                             | <0.01               | 0.99                |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                           | $N_2O$              | 12.52                                | 12.93                             | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Lime Production                                     | CO <sub>2</sub>     | 11.24                                | 11.64                             | <0.01               | 0.99                |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                           | CH <sub>4</sub>     | 8.14                                 | 8.14                              | <0.01               | 0.99                |
| CH <sub>4</sub> Emissions from Rice Production                                     | CH <sub>4</sub>     | 7.12                                 | 7.02                              | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                                 | CO <sub>2</sub>     | 5.51                                 | 6.55                              | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Aluminum Production                                 | CO <sub>2</sub>     | 6.31                                 | 5.76                              | <0.01               | 0.99                |
| SF <sub>6</sub> Emissions from Magnesium Production                                | SF <sub>6</sub>     | 5.37                                 | 5.51                              | <0.01               | 0.99                |
| Emissions from Substitutes for Ozone Depleting Substances                          | Several             | 0.94                                 | 5.24                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                          | CO <sub>2</sub>     | 5.47                                 | 4.89                              | <0.01               | 1.00                |
| Mobile Combustion: Road & Other  | CH₄                 | 4.73                                 | 4.72                              | <0.01               | 1.00                |
| N₂O Emissions from N2O Product Usage   | N <sub>2</sub> O    | 4.30                                 | 4.48                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption                | CO <sub>2</sub>     | 4.14                                 | 4.02                              | <0.01               | 1.00                |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture             | SF <sub>6</sub>     | 2.86                                 | 3.58                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Ferroalloys   | CO <sub>2</sub>     | 1.98                                 | 1.98                              | <0.01               | 1.00                |
| Mobile Combustion: Aviation  | N₂O                 | 1.71                                 | 1.63                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                         | CO <sub>2</sub>     | 1.31                                 | 1.55                              | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Petrochemical Production                            | CH <sub>4</sub>     | 1.17                                 | 1.38                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                         | CO <sub>2</sub>     | 0.90                                 | 0.99                              | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning                        | CH <sub>4</sub>     | 0.68                                 | 0.60                              | <0.01               | 1.00                |
| Mobile Combustion: Marine  | N₂O                 | 0.36                                 | 0.43                              | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy           | CO <sub>2</sub>     | 0.40                                 | 0.40                              | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning                       | N <sub>2</sub> O    | 0.37                                 | 0.34                              | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Waste Incineration  Mobile Combustion: Aviation    | N <sub>2</sub> O    | 0.29                                 | 0.26                              | <0.01               | 1.00                |
| Mobile Combustion: Aviation  Mobile Combustion: Marine                             | CH₄<br>CH₄          | 0.16<br>0.07                         | 0.14<br>0.08                      | <0.01<br><0.01      | 1.00<br>1.00        |
|  |                     |                                      |                                   |                     |                     |
| CH <sub>4</sub> Emissions from Silicon Carbide Production  TOTAL                   | CH <sub>4</sub>     | 0.03                                 | 0.02                              | <0.01               | 1.00                |
| Note: Sinks (e.g. LLICE Landfill Carbon Storage) are not include                   | alta data an abasia | 6,139.64                             | 6,326.15                          | 1.00                |                     |

Table R-7: 1994 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse | Base Year<br>Estimate    | Current Year<br>Estimate | Level      | Cumulative |
|---|----------------------|--------------------------|--------------------------|------------|------------|
| IPCC Source Categories  | Gas                  | (Tg CO <sub>2</sub> Eq.) |                          | Assessment | Total      |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal               | CO <sub>2</sub>      | 1,697.29                 | 1,787.57                 | 0.28       | 0.28       |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>      | 1,244.98                 | 1,325.10                 | 0.21       | 0.48       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                | CO <sub>2</sub>      | 976.63                   | 1,084.55                 | 0.17       | 0.65       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                | CO <sub>2</sub>      | 669.99                   | 663.32                   | 0.10       | 0.75       |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>      | 212.07                   | 216.99                   | 0.03       | 0.79       |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                 | N <sub>2</sub> O     | 193.71                   | 215.47                   | 0.03       | 0.82       |
| Mobile Combustion: Aviation   | CO <sub>2</sub>      | 176.88                   | 175.85                   | 0.03       | 0.85       |
| Fugitive Emissions from Natural Gas Operations                            | CH <sub>4</sub>      | 122.01                   | 128.07                   | 0.02       | 0.87       |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>      | 117.85                   | 120.40                   | 0.02       | 0.89       |
| Indirect N2O Emissions from Nitrogen Used in Agriculture                  | N <sub>2</sub> O     | 73.83                    | 80.26                    | 0.01       | 0.90       |
| CO <sub>2</sub> Emissions from Iron and Steel Production                  | CO <sub>2</sub>      | 85.41                    | 73.61                    | 0.01       | 0.91       |
| Fugitive Emissions from Coal Mining and Handling                          | CH <sub>4</sub>      | 87.12                    | 70.32                    | 0.01       | 0.92       |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O     | 48.56                    | 58.27                    | 0.01       | 0.93       |
| Mobile Combustion: Marine   | CO <sub>2</sub>      | 48.60                    | 48.89                    | 0.01       | 0.94       |
| CO <sub>2</sub> Emissions from Cement Production                          | CO <sub>2</sub>      | 33.28                    | 36.09                    | 0.01       | 0.94       |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>      | 31.28                    | 35.46                    | 0.01       | 0.95       |
| SF <sub>6</sub> Emissions from Electrical Equipment                       | SF <sub>6</sub>      | 32.10                    | 32.43                    | 0.01       | 0.95       |
| HFC-23 Emissions from HCFC-22 Manufacture                                 | HFCs                 | 34.98                    | 31.59                    | < 0.01     | 0.96       |
| CH <sub>4</sub> Emissions from Wastewater Handling                        | CH <sub>4</sub>      | 24.08                    | 26.00                    | < 0.01     | 0.96       |
| Fugitive Emissions from Oil Operations                                    | CH <sub>4</sub>      | 27.49                    | 24.61                    | < 0.01     | 0.97       |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application    | CO <sub>2</sub>      | 19.31                    | 21.10                    | < 0.01     | 0.97       |
| N₂O Emissions from Nitric Acid Production                                 | $N_2O$               | 17.85                    | 19.60                    | < 0.01     | 0.97       |
| CO <sub>2</sub> Emissions from Waste Incineration                         | CO <sub>2</sub>      | 14.07                    | 17.77                    | < 0.01     | 0.98       |
| N <sub>2</sub> O Emissions from Manure Management                         | $N_2O$               | 16.18                    | 16.90                    | < 0.01     | 0.98       |
| N <sub>2</sub> O Emissions from Adipic Acid Production                    | N <sub>2</sub> O     | 15.20                    | 15.03                    | < 0.01     | 0.98       |
| N <sub>2</sub> O Emissions from Wastewater Handling                       | $N_2O$               | 12.71                    | 14.02                    | < 0.01     | 0.98       |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                  | N <sub>2</sub> O     | 12.52                    | 13.10                    | < 0.01     | 0.98       |
| PFC Emissions from Aluminum Production                                    | PFCs                 | 18.11                    | 12.17                    | < 0.01     | 0.99       |
| CO <sub>2</sub> Emissions from Lime Production                            | CO <sub>2</sub>      | 11.24                    | 12.05                    | < 0.01     | 0.99       |
| Emissions from Substitutes for Ozone Depleting Substances                 | Several              | 0.94                     | 8.38                     | < 0.01     | 0.99       |
| CH <sub>4</sub> Emissions from Rice Production                            | CH <sub>4</sub>      | 7.12                     | 8.21                     | < 0.01     | 0.99       |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                  | CH <sub>4</sub>      | 8.14                     | 8.12                     | < 0.01     | 0.99       |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                        | CO <sub>2</sub>      | 5.51                     | 6.62                     | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                 | CO <sub>2</sub>      | 5.47                     | 5.56                     | < 0.01     | 0.99       |
| SF <sub>6</sub> Emissions from Magnesium Production                       | SF <sub>6</sub>      | 5.37                     | 5.38                     | <0.01      | 0.99       |
| CO <sub>2</sub> Emissions from Aluminum Production                        | CO <sub>2</sub>      | 6.31                     | 5.15                     | <0.01      | 1.00       |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>      | 4.73                     | 4.70                     | <0.01      | 1.00       |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage            | $N_2O$               | 4.30                     | 4.48                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption       | $CO_2$               | 4.14                     | 4.02                     | <0.01      | 1.00       |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture    | SF <sub>6</sub>      | 2.86                     | 3.93                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Ferroalloys                                | $CO_2$               | 1.98                     | 1.85                     | <0.01      | 1.00       |
| Mobile Combustion: Aviation   | N <sub>2</sub> O     | 1.71                     | 1.71                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                | $CO_2$               | 1.31                     | 1.67                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Petrochemical Production                   | CH <sub>4</sub>      | 1.17                     | 1.48                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                | CO <sub>2</sub>      | 0.90                     | 1.04                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning               | CH <sub>4</sub>      | 0.68                     | 0.81                     | <0.01      | 1.00       |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning              | N <sub>2</sub> O     | 0.37                     | 0.45                     | <0.01      | 1.00       |
| Mobile Combustion: Marine   | $N_2O$               | 0.36                     | 0.41                     | <0.01      | 1.00       |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | $CO_2$               | 0.40                     | 0.34                     | <0.01      | 1.00       |
| N <sub>2</sub> O Emissions from Waste Incineration                        | $N_2O$               | 0.29                     | 0.27                     | <0.01      | 1.00       |
| Mobile Combustion: Aviation   | CH <sub>4</sub>      | 0.16                     | 0.15                     | <0.01      | 1.00       |
| Mobile Combustion: Marine   | CH <sub>4</sub>      | 0.07                     | 0.08                     | <0.01      | 1.00       |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                 | CH <sub>4</sub>      | 0.03                     | 0.02                     | < 0.01     | 1.00       |
| TOTAL   | O1 14                | 6,139.64                 | 6,451.41                 | 1.00       | 1.00       |

Table R-8: 1995 Key Source Tier 1 Analysis - Level Assessment

| IPCC Source Categories  CO2 Emissions from Stationary Combustion - Coal Mobile Combustion: Road & Other CO2 Emissions from Stationary Combustion - Gas CO2 Emissions from Stationary Combustion - Gas CO2 Emissions from Stationary Combustion - Oil CO2 CO3 Emissions from Stationary Combustion - Oil CO4 CO5 Emissions from Solid Waste Disposal Sites CH4 Direct N2O Emissions from Agricultural Soils Mobile Combustion: Aviation CO5 Fugitive Emissions from Natural Gas Operations CH4 CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture CO5 Emissions from Iron and Steel Production CO5 Fugitive Emissions from Coal Mining and Handling Mobile Combustion: Road & Other Mobile Combustion: Road & Other Mobile Combustion: Marine CO5 CO5 CM4 Emissions from Cement Production CO5 CM5 Emissions from Manure Management CM4 SF6 Emissions from Manure Management SF6 HFC-23 Emissions from Wastewater Handling CH4 Fugitive Emissions from Wastewater Handling CH4 Emissions from Substitutes for Ozone Depleting Substances CM6 Emissions from Substitutes for Ozone Depleting Substances CM7 Emissions from Nitric Acid Production N2O Emissions from Waste Incineration N2O Emissions from Manure Management N2O Emissions from Lime Production N2O Emissions from Lime Production N2O Emissions from Lime Pr | Estimate<br>(Tg CO <sub>2</sub> Eq.)<br>1,697.29 | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Level          | Cumulative   |
|--|--|--------------------------------------|----------------|--------------|
| CO2 Emissions from Stationary Combustion - Coal Mobile Combustion: Road & Other CO2 Emissions from Stationary Combustion - Gas CO2 Emissions from Stationary Combustion - Oil CO2 CM4 Emissions from Solid Waste Disposal Sites CM4 Direct N2O Emissions from Agricultural Soils M2O Mobile Combustion: Aviation CO2 Fugitive Emissions from Natural Gas Operations CM4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture CO2 Emissions from Iron and Steel Production CO2 Emissions from Coal Mining and Handling Mobile Combustion: Road & Other Mobile Combustion: Road & Other Mobile Combustion: Marine CO2 CM4 Emissions from Cement Production CO2 CM4 Emissions from Manure Management CM4 SF6 Emissions from Manure Management SF6 HFC-23 Emissions from HCFC-22 Manufacture CM4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations CM4 Emissions from Substitutes for Ozone Depleting Substances CM2 Emissions from Material Production CM2 CM2 Emissions from Mitric Acid Production CM3 CM3 CM4 Emissions from Mitric Acid Production CM4 Emissions from Mitric Acid Production CM5 CM6 CM7 CM7 Emissions from Manure Management M2O CM8 CM8 CM8 CM9 CM8 CM9 CM8 CM9   | 1,697.29   |                                      | Assessment     | Total        |
| Mobile Combustion: Road & Other  CO2 Emissions from Stationary Combustion - Gas  CO2 Emissions from Stationary Combustion - Oil  CO3 Emissions from Stationary Combustion - Oil  CO4 Emissions from Solid Waste Disposal Sites  CH4 Direct N2O Emissions from Agricultural Soils  N2O Mobile Combustion: Aviation  Fugitive Emissions from Natural Gas Operations  CH4 CH4 Emissions from Enteric Fermentation in Domestic Livestock  Indirect N2O Emissions from Nitrogen Used in Agriculture  CO2 Emissions from Iron and Steel Production  CO2 Emissions from Coal Mining and Handling  Mobile Combustion: Road & Other  Mobile Combustion: Marine  CO2 Emissions from Cement Production  CO2 Emissions from Manure Management  CH4  SF6 Emissions from Manure Management  SF6  HFC-23 Emissions from Wastewater Handling  CH4  Emissions from Substitutes for Ozone Depleting Substances  CO2 Emissions from Ammonia Production and Urea Application  N2O Emissions from Maste Incineration  N2O Emissions from Maste Incineration  N2O Emissions from Manure Management  N2O Emissions from Mastewater Handling  N2O Emissions from Manure Management  N2O Emissions from Mastewater Handling  N2O Emissions from Manure Management  N2O Emissi |  | 1,805.85                             | 0.28           | 0.28         |
| CO2 Emissions from Stationary Combustion - Oil CO2 CH4 Emissions from Solid Waste Disposal Sites CH4 Direct N2O Emissions from Agricultural Soils N2O Mobile Combustion: Aviation CO2 Fugitive Emissions from Natural Gas Operations CH4 CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture N2O CO2 Emissions from Iron and Steel Production CO2 Fugitive Emissions from Coal Mining and Handling CH4 Mobile Combustion: Road & Other N2O Mobile Combustion: Marine CO2 Emissions from Cement Production CO2 Emissions from Manure Management CH4 SF6 Emissions from Belectrical Equipment SF6 HFC-23 Emissions from Wastewater Handling CH4 Emissions from Substitutes for Ozone Depleting Substances CH4 Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Nitric Acid Production and Urea Application CO2 Emissions from Waste Incineration N2O Emissions from Manure Management N2O Emissions from Wastewater Handling N2O Emissions from Manure Management N2O Emissions from Wastewater Handling N2O Emissions from Stationary Combustion N2O Emissions from Lime Production CO2 Emissions from Lime Production   | 1,244.98   | 1,354.70                             | 0.21           | 0.49         |
| CH4 Emissions from Solid Waste Disposal Sites Direct N2O Emissions from Agricultural Soils N2O Mobile Combustion: Aviation CO2 Fugitive Emissions from Natural Gas Operations CH4 CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture N2O CO2 Emissions from Iron and Steel Production CO2 Fugitive Emissions from Coal Mining and Handling Mobile Combustion: Road & Other N2O Mobile Combustion: Marine CO2 CO2 Emissions from Cement Production CO2 CH4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from Wastewater Handling CH4 Fugitive Emissions from Oil Operations CH4 Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Nitric Acid Production N2O CM2 Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Stationary Combustion N2O CO2 Emissions from Stationary Combustion N2O CO2 Emissions from Lime Production N2O CO2 Emissions from Lime Production  | 976.63   | 1,134.43                             | 0.17           | 0.66         |
| Direct N2O Emissions from Agricultural Soils  Mobile Combustion: Aviation  Fugitive Emissions from Natural Gas Operations  CH4  CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture  N2O  CO2 Emissions from Iron and Steel Production  Fugitive Emissions from Coal Mining and Handling  Mobile Combustion: Road & Other  Mobile Combustion: Marine  CO2  CO2 Emissions from Cement Production  CO3  CH4 Emissions from Manure Management  SF6 Emissions from HCFC-22 Manufacture  CH4 Emissions from Wastewater Handling  Fugitive Emissions from Oil Operations  CH4  Emissions from Substitutes for Ozone Depleting Substances  CO2 Emissions from Nitric Acid Production  CO3  N2O Emissions from Manure Management  N2O  N2O Emissions from Wastewater Handling  N2O  N2O Emissions from Stationary Combustion  N2O  CO2 Emissions from Stationary Combustion  N2O  CO3 Emissions from Lime Production  N2O  CO3 Emissions from Lime Production  N2O  CO3 Emissions from Lime Production  N2O  CO4 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  | 669.99   | 623.10                               | 0.10           | 0.75         |
| Mobile Combustion: Aviation  Fugitive Emissions from Natural Gas Operations  CH4  CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture  CO2  Fugitive Emissions from Iron and Steel Production  Fugitive Emissions from Coal Mining and Handling  Mobile Combustion: Road & Other  Mobile Combustion: Marine  CO2  CO2  EMISSIONS from Cement Production  CO4  CH4  SF6 Emissions from Manure Management  SF6  HFC-23 Emissions from HCFC-22 Manufacture  CH4  Fugitive Emissions from Oil Operations  Emissions from Substitutes for Ozone Depleting Substances  CO2  EMISSIONS from Ammonia Production and Urea Application  N2O  CO2  Emissions from Waste Incineration  N2O  CO3  Emissions from Manure Management  N2O  N2O Emissions from Wastewater Handling  N2O  N2O Emissions from Wastewater Handling  N2O  N2O Emissions from Manure Management  N2O  N2O Emissions from Stationary Combustion  N2O  CO2 Emissions from Stationary Combustion  N2O  CO3  Emissions from Lime Production   | 212.07   | 216.09                               | 0.03           | 0.79         |
| Fugitive Emissions from Natural Gas Operations CH4 CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture CO2 Emissions from Iron and Steel Production Fugitive Emissions from Coal Mining and Handling CH4 Mobile Combustion: Road & Other N2O Mobile Combustion: Marine CO2 CO2 Emissions from Cement Production CO3 CH4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations CH4 Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Nitric Acid Production CO2 N2O Emissions from Waste Incineration N2O N2O Emissions from Manure Management N2O N2O Emissions from Manure Management N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Manure Management N2O N2O Emissions from Stationary Combustion N2O CO2 Emissions from Stationary Combustion N2O CO3 Emissions from Stationary Combustion N2O CO3 Emissions from Lime Production N2O CO4  | 193.71   | 205.09                               | 0.03           | 0.82         |
| CH4 Emissions from Enteric Fermentation in Domestic Livestock Indirect N2O Emissions from Nitrogen Used in Agriculture  CO2 Emissions from Iron and Steel Production  Fugitive Emissions from Coal Mining and Handling Mobile Combustion: Road & Other Mobile Combustion: Marine  CO2  CO2 Emissions from Cement Production  CO4  CO5  CH4 Emissions from Manure Management SF6 Emissions from Electrical Equipment  HFCS  CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations  CH4  Emissions from Substitutes for Ozone Depleting Substances CO5  Emissions from Nitric Acid Production  CO5  N2O Emissions from Waste Incineration N2O  N2O Emissions from Manure Management N2O  N2O Emissions from Wastewater Handling N2O  N2O Emissions from Wastewater Handling N2O  N2O Emissions from Stationary Combustion N2O  CO2 Emissions from Stationary Combustion N2O  CO3 Emissions from Stationary Combustion N2O  CO3 Emissions from Lime Production N2O  CO4  Emissions from Lime Production N2O  CO5  Emissions from Lime Production N2O  | 176.88   | 171.45                               | 0.03           | 0.85         |
| Indirect N2O Emissions from Nitrogen Used in Agriculture  CO2 Emissions from Iron and Steel Production  Fugitive Emissions from Coal Mining and Handling  Mobile Combustion: Road & Other  N2O  Mobile Combustion: Marine  CO2  CO2 Emissions from Cement Production  CO4  CO5  CH4 Emissions from Manure Management  SF6 Emissions from Electrical Equipment  HFCS  CH4 Emissions from Wastewater Handling  Fugitive Emissions from Oil Operations  Emissions from Substitutes for Ozone Depleting Substances  CO5  R2O Emissions from Waste Incineration  N2O  CO5  R2O Emissions from Manure Management  N2O  N2O Emissions from Wastewater Handling  N2O  N2O Emissions from Wastewater Handling  N2O  N2O Emissions from Stationary Combustion  N2O  CO2 Emissions from Stationary Combustion  N2O  CO3 Emissions from Lime Production  N2O  CO4 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  N2O  CO5 Emissions from Lime Production  CO5   | 122.01   | 127.24                               | 0.02           | 0.87         |
| CO2 Emissions from Iron and Steel Production CO2 Fugitive Emissions from Coal Mining and Handling Mobile Combustion: Road & Other N2O Mobile Combustion: Marine CO2 CO2 Emissions from Cement Production CO4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from HCFC-22 Manufacture CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Nitric Acid Production A2O Emissions from Waste Incineration N2O CO2 Emissions from Manure Management N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N3O Emissions from Stationary Combustion CO2 Emissions from Stationary Combustion N2O CO3 Emissions from Lime Production N2O CO3 Emissions from Lime Production CO3  | 117.85   | 122.96                               | 0.02           | 0.88         |
| Fugitive Emissions from Coal Mining and Handling Mobile Combustion: Road & Other N2O Mobile Combustion: Marine CO2 CO2 Emissions from Cement Production CO4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from HCFC-22 Manufacture CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Nitric Acid Production and Urea Application N2O CO2 Emissions from Waste Incineration N2O CO2 Emissions from Adipic Acid Production N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Wastewater Handling N2O N2O Emissions from Stationary Combustion N2O CO2 Emissions from Stationary Combustion N2O CO3 Emissions from Stationary Combustion CO4 Emissions from Lime Production CO5   | 73.83  | 78.97                                | 0.01           | 0.90         |
| Mobile Combustion: Road & Other       N2O         Mobile Combustion: Marine       CO2         CO2 Emissions from Cement Production       CO2         CH4 Emissions from Manure Management       CH4         SF6 Emissions from Electrical Equipment       SF6         HFC-23 Emissions from HCFC-22 Manufacture       HFCs         CH4 Emissions from Wastewater Handling       CH4         Fugitive Emissions from Oil Operations       CH4         Emissions from Substitutes for Ozone Depleting Substances       Several         CO2 Emissions from Ammonia Production and Urea Application       CO2         N2O Emissions from Nitric Acid Production       N2O         CO2 Emissions from Waste Incineration       CO2         N2O Emissions from Adipic Acid Production       N2O         N2O Emissions from Manure Management       N2O         N2O Emissions from Wastewater Handling       N2O         Non-CO2 Emissions from Stationary Combustion       N2O         CO2 Emissions from Lime Production       CO2  | 85.41  | 74.36                                | 0.01           | 0.91         |
| Mobile Combustion: Marine       CO2         CO2 Emissions from Cement Production       CO2         CH4 Emissions from Manure Management       CH4         SF6 Emissions from Electrical Equipment       SF6         HFC-23 Emissions from HCFC-22 Manufacture       HFCs         CH4 Emissions from Wastewater Handling       CH4         Fugitive Emissions from Oil Operations       CH4         Emissions from Substitutes for Ozone Depleting Substances       Several         CO2 Emissions from Ammonia Production and Urea Application       CO2         N2O Emissions from Nitric Acid Production       N2O         CO2 Emissions from Waste Incineration       CO2         N2O Emissions from Adipic Acid Production       N2O         N2O Emissions from Manure Management       N2O         N2O Emissions from Wastewater Handling       N2O         Non-CO2 Emissions from Stationary Combustion       N2O         CO2 Emissions from Lime Production       CO2  | 87.12  | 73.54                                | 0.01           | 0.92         |
| CO2 Emissions from Cement Production CO4 CH4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from HCFC-22 Manufacture HFCs CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Ammonia Production and Urea Application N2O Emissions from Nitric Acid Production N2O CO2 Emissions from Waste Incineration N2O N2O Emissions from Adipic Acid Production N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O Non-CO2 Emissions from Stationary Combustion CO2 Emissions from Lime Production N2O CO2 Emissions from Lime Production CO2   | 48.56  | 58.80                                | 0.01           | 0.93         |
| CH4 Emissions from Manure Management SF6 Emissions from Electrical Equipment HFC-23 Emissions from HCFC-22 Manufacture CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations CH4 Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Ammonia Production and Urea Application N2O Emissions from Nitric Acid Production CO2 Emissions from Waste Incineration N2O N2O Emissions from Adipic Acid Production N2O N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N0n-CO2 Emissions from Stationary Combustion CO2 Emissions from Stationary Combustion N2O CO3 Emissions from Lime Production CO3 CO4 CO5 Emissions from Lime Production CO5  | 48.60  | 51.66                                | 0.01           | 0.94         |
| SF <sub>6</sub> Emissions from Electrical Equipment HFC-23 Emissions from HCFC-22 Manufacture CH <sub>4</sub> Emissions from Wastewater Handling Fugitive Emissions from Oil Operations Emissions from Substitutes for Ozone Depleting Substances CO <sub>2</sub> Emissions from Ammonia Production and Urea Application N <sub>2</sub> O Emissions from Nitric Acid Production CO <sub>2</sub> Emissions from Waste Incineration N <sub>2</sub> O Emissions from Adipic Acid Production N <sub>2</sub> O Emissions from Manure Management N <sub>2</sub> O N <sub>2</sub> O Emissions from Wastewater Handling N <sub>2</sub> O N <sub>2</sub> O Emissions from Stationary Combustion CO <sub>2</sub> Emissions from Stationary Combustion N <sub>2</sub> O CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub> Emissions  | 33.28  | 36.85                                | 0.01           | 0.94         |
| HFC-23 Emissions from HCFC-22 Manufacture  CH4 Emissions from Wastewater Handling  Fugitive Emissions from Oil Operations  Emissions from Substitutes for Ozone Depleting Substances  CO2 Emissions from Ammonia Production and Urea Application  N2O Emissions from Nitric Acid Production  CO2 Emissions from Waste Incineration  N2O  N2O Emissions from Adipic Acid Production  N2O  N2O Emissions from Manure Management  N2O  N2O Emissions from Wastewater Handling  N2O  Non-CO2 Emissions from Stationary Combustion  CO2  CO3 Emissions from Lime Production  N2O  CO4  CO5 Emissions from Lime Production  CO5  | 31.28  | 36.19                                | 0.01           | 0.95         |
| CH4 Emissions from Wastewater Handling Fugitive Emissions from Oil Operations CM4 Emissions from Substitutes for Ozone Depleting Substances CO2 Emissions from Ammonia Production and Urea Application N2O Emissions from Nitric Acid Production CO2 Emissions from Waste Incineration N2O Emissions from Adipic Acid Production N2O Emissions from Manure Management N2O N2O Emissions from Wastewater Handling N2O N0n-CO2 Emissions from Stationary Combustion CO2 Emissions from Lime Production N2O CO3   | 32.10  | 27.48                                | <0.01          | 0.95         |
| Fugitive Emissions from Oil Operations  CH4  Emissions from Substitutes for Ozone Depleting Substances  CO2 Emissions from Ammonia Production and Urea Application  N2O Emissions from Nitric Acid Production  CO2  N2O Emissions from Waste Incineration  N2O  N2O Emissions from Adipic Acid Production  N2O  N2O Emissions from Manure Management  N2O  N2O Emissions from Wastewater Handling  N2O  Non-CO2 Emissions from Stationary Combustion  CO2  CO2  Emissions from Lime Production  CO3  CO4   | 34.98  | 27.03                                | <0.01          | 0.96         |
| Emissions from Substitutes for Ozone Depleting Substances CO <sub>2</sub> Emissions from Ammonia Production and Urea Application N <sub>2</sub> O Emissions from Nitric Acid Production CO <sub>2</sub> Emissions from Waste Incineration N <sub>2</sub> O Emissions from Adipic Acid Production N <sub>2</sub> O Emissions from Manure Management N <sub>2</sub> O Emissions from Wastewater Handling N <sub>2</sub> O Emissions from Stationary Combustion N <sub>2</sub> O Emissions from Stationary Combustion CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub> Emissions from Lime Production Several CO <sub>2</sub> Emissions  | 24.08  | 26.60                                | <0.01          | 0.96         |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application CO <sub>2</sub> N <sub>2</sub> O Emissions from Nitric Acid Production N <sub>2</sub> O CO <sub>2</sub> Emissions from Waste Incineration CO <sub>2</sub> N <sub>2</sub> O Emissions from Adipic Acid Production N <sub>2</sub> O N <sub>2</sub> O Emissions from Manure Management N <sub>2</sub> O N <sub>2</sub> O Emissions from Wastewater Handling N <sub>2</sub> O Non-CO <sub>2</sub> Emissions from Stationary Combustion N <sub>2</sub> O CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub>  | 27.49  | 24.21                                | < 0.01         | 0.96         |
| N2O Emissions from Nitric Acid Production       N2O         CO2 Emissions from Waste Incineration       CO2         N2O Emissions from Adipic Acid Production       N2O         N2O Emissions from Manure Management       N2O         N2O Emissions from Wastewater Handling       N2O         Non-CO2 Emissions from Stationary Combustion       N2O         CO2 Emissions from Lime Production       CO2  | 0.94   | 21.69                                | <0.01          | 0.97         |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$  | 19.31  | 20.45                                | <0.01          | 0.97         |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$   | 17.85  | 19.89                                | < 0.01         | 0.97         |
| N2O Emissions from Manure ManagementN2ON2O Emissions from Wastewater HandlingN2ONon-CO2 Emissions from Stationary CombustionN2OCO2 Emissions from Lime ProductionCO2   | 14.07  | 18.47                                | <0.01          | 0.98         |
| N2O Emissions from Wastewater HandlingN2ONon-CO2 Emissions from Stationary CombustionN2OCO2 Emissions from Lime ProductionCO2  | 15.20<br>16.18                                   | 17.21<br>16.55                       | <0.01<br><0.01 | 0.98<br>0.98 |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion N <sub>2</sub> O CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub>   | 12.71  | 13.94                                | <0.01          | 0.98         |
| CO <sub>2</sub> Emissions from Lime Production CO <sub>2</sub>   | 12.71  | 13.94                                | <0.01          | 0.96         |
|  | 11.24  | 12.80                                | <0.01          | 0.99         |
| PFC Emissions from Aluminum Production PFCs  | 18.11  | 11.81                                | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring CO <sub>2</sub>   | 5.51   | 8.73                                 | <0.01          | 0.99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion CH <sub>4</sub>   | 8.14   | 8.53                                 | <0.01          | 0.99         |
| CH <sub>4</sub> Emissions from Rice Production CH <sub>4</sub>   | 7.12   | 7.62                                 | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use CO <sub>2</sub>  | 5.47   | 7.04                                 | <0.01          | 0.99         |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture SF <sub>6</sub>   | 2.86   | 5.90                                 | <0.01          | 0.99         |
| SF <sub>6</sub> Emissions from Magnesium Production SF <sub>6</sub>  | 5.37   | 5.57                                 | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Aluminum Production CO <sub>2</sub>   | 6.31   | 5.27                                 | <0.01          | 1.00         |
| Mobile Combustion: Road & Other CH4  | 4.73   | 4.64                                 | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage N <sub>2</sub> O  | 4.30   | 4.48                                 | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption CO <sub>2</sub>  | 4.14   | 4.30                                 | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Ferroalloys CO <sub>2</sub>   | 1.98   | 1.87                                 | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production CO <sub>2</sub>   | 1.31   | 1.67                                 | <0.01          | 1.00         |
| Mobile Combustion: Aviation N <sub>2</sub> O   | 1.71   | 1.67                                 | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Petrochemical Production CH <sub>4</sub>  | 1.17   | 1.51                                 | < 0.01         | 1.00         |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption CO <sub>2</sub>   | 0.90   | 1.09                                 | < 0.01         | 1.00         |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning CH <sub>4</sub>  | 0.68   | 0.66                                 | < 0.01         | 1.00         |
| Mobile Combustion: Marine N <sub>2</sub> O   | 0.36   | 0.46                                 | < 0.01         | 1.00         |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning N <sub>2</sub> O  | 0.37   | 0.38                                 | < 0.01         | 1.00         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy CO <sub>2</sub>   | 0.40   | 0.37                                 | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Waste Incineration N <sub>2</sub> O  | 0.29   | 0.28                                 | <0.01          | 1.00         |
| Mobile Combustion: Aviation CH <sub>4</sub>  | 0.16   | 0.15                                 | <0.01          | 1.00         |
| Mobile Combustion: Marine CH <sub>4</sub>  | 0.07   | 0.09                                 | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Silicon Carbide Production CH <sub>4</sub>  | 0.03   | 0.02                                 | <0.01          | 1.00         |
| TOTAL  | 6,139.64   | 6,514.90                             | 1.00           |              |

Table R-9: 1996 Key Source Tier 1 Analysis - Level Assessment

|   | Direct             | Base Year                            | Current Year | Laval               | Cumulativa          |
|---|--------------------|--------------------------------------|--------------|---------------------|---------------------|
| IPCC Source Categories  | Greenhouse<br>Gas  | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Estimate     | Level<br>Assessment | Cumulative<br>Total |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal               | CO <sub>2</sub>    | 1,697.29                             | 1,893.35     | 0.28                | 0.28                |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>    | 1,244.98                             | 1,389.11     | 0.21                | 0.49                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                | CO <sub>2</sub>    | 976.63                               | 1,155.05     | 0.17                | 0.66                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                | CO <sub>2</sub>    | 669.99                               | 659.64       | 0.10                | 0.76                |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                 | N <sub>2</sub> O   | 193.71                               | 212.59       | 0.03                | 0.79                |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>    | 212.07                               | 212.09       | 0.03                | 0.82                |
| Mobile Combustion: Aviation   | CO <sub>2</sub>    | 176.88                               | 180.16       | 0.03                | 0.85                |
| Fugitive Emissions from Natural Gas Operations                            | CH <sub>4</sub>    | 122.01                               | 127.45       | 0.02                | 0.87                |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>    | 117.85                               | 120.47       | 0.02                | 0.89                |
| Indirect N2O Emissions from Nitrogen Used in Agriculture                  | N <sub>2</sub> O   | 73.83                                | 80.60        | 0.01                | 0.90                |
| Fugitive Emissions from Coal Mining and Handling                          | CH <sub>4</sub>    | 87.12                                | 68.36        | 0.01                | 0.91                |
| CO <sub>2</sub> Emissions from Iron and Steel Production                  | CO <sub>2</sub>    | 85.41                                | 68.32        | 0.01                | 0.92                |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O   | 48.56                                | 58.53        | 0.01                | 0.93                |
| Mobile Combustion: Marine   | CO <sub>2</sub>    | 48.60                                | 48.11        | 0.01                | 0.94                |
| CO <sub>2</sub> Emissions from Cement Production                          | CO <sub>2</sub>    | 33.28                                | 37.08        | 0.01                | 0.94                |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>    | 31.28                                | 34.89        | 0.01                | 0.95                |
| HFC-23 Emissions from HCFC-22 Manufacture                                 | HFCs               | 34.98                                | 31.12        | <0.01               | 0.95                |
| Emissions from Substitutes for Ozone Depleting Substances                 | Several            | 0.94                                 | 30.42        | <0.01               | 0.96                |
| SF <sub>6</sub> Emissions from Electrical Equipment                       | SF <sub>6</sub>    | 32.10                                | 27.68        | <0.01               | 0.96                |
| CH <sub>4</sub> Emissions from Wastewater Handling                        | CH <sub>4</sub>    | 24.08                                | 26.84        | <0.01               | 0.96                |
| Fugitive Emissions from Oil Operations                                    | CH <sub>4</sub>    | 27.49                                | 23.90        | <0.01               | 0.97                |
| N <sub>2</sub> O Emissions from Nitric Acid Production                    | $N_2O$             | 17.85                                | 20.71        | <0.01               | 0.97                |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application    | CO <sub>2</sub>    | 19.31                                | 20.28        | <0.01               | 0.97                |
| CO <sub>2</sub> Emissions from Waste Incineration                         | CO <sub>2</sub>    | 14.07                                | 19.42        | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Adipic Acid Production                    | $N_2O$             | 15.20                                | 17.04        | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Manure Management                         | $N_2O$             | 16.18                                | 16.97        | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Wastewater Handling                       | $N_2O$             | 12.71                                | 14.13        | <0.01               | 0.98                |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                  | $N_2O$             | 12.52                                | 13.80        | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Lime Production                            | $CO_2$             | 11.24                                | 13.49        | <0.01               | 0.99                |
| PFC Emissions from Aluminum Production                                    | PFCs               | 18.11                                | 12.47        | <0.01               | 0.99                |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                  | CH <sub>4</sub>    | 8.14                                 | 8.72         | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                        | CO <sub>2</sub>    | 5.51                                 | 8.23         | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                 | CO <sub>2</sub>    | 5.47                                 | 7.61         | <0.01               | 0.99                |
| CH <sub>4</sub> Emissions from Rice Production                            | CH <sub>4</sub>    | 7.12                                 | 6.97         | <0.01               | 0.99                |
| SF <sub>6</sub> Emissions from Magnesium Production                       | SF <sub>6</sub>    | 5.37                                 | 6.53         | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Aluminum Production                        | CO <sub>2</sub>    | 6.31                                 | 5.58         | <0.01               | 1.00                |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture    | SF <sub>6</sub>    | 2.86                                 | 5.44         | <0.01               | 1.00                |
| Mobile Combustion: Road & Other   | CH₄                | 4.73                                 | 4.54         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage            | N <sub>2</sub> O   | 4.30                                 | 4.48         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption       | CO <sub>2</sub>    | 4.14                                 | 4.24         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Ferroalloys                                | CO <sub>2</sub>    | 1.98                                 | 1.95         | <0.01               | 1.00                |
| Mobile Combustion: Aviation   | N <sub>2</sub> O   | 1.71                                 | 1.76         | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                | CO <sub>2</sub>    | 1.31                                 | 1.66         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Petrochemical Production                   | CH <sub>4</sub>    | 1.17                                 | 1.58         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                | CO <sub>2</sub>    | 0.90                                 | 1.14         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning               | CH <sub>4</sub>    | 0.68                                 | 0.75         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning              | N <sub>2</sub> O   | 0.37                                 | 0.42         | <0.01               | 1.00                |
| Mobile Combustion: Marine   | N <sub>2</sub> O   | 0.36                                 | 0.42         | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | CO <sub>2</sub>    | 0.40                                 | 0.38         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Waste Incineration                        | N <sub>2</sub> O   | 0.29                                 | 0.28         | <0.01               | 1.00                |
| Mobile Combustion: Aviation   | CH <sub>4</sub>    | 0.16                                 | 0.15         | <0.01               | 1.00                |
| Mobile Combustion: Marine   | CH <sub>4</sub>    | 0.07                                 | 80.0         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                 | CH <sub>4</sub>    | 0.03                                 | 0.02         | <0.01               | 1.00                |
| Note: Sinks (e.g. LLICE Landfill Carbon Storage) are not include          | alta deta analonia | 6,139.64                             | 6,706.99     | 1.00                |                     |

Table R-10: 1997 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse               | Base Year<br>Estimate    | Current Year<br>Estimate | Level          | Cumulative   |
|---|------------------------------------|--------------------------|--------------------------|----------------|--------------|
| IPCC Source Categories  | Gas                                | (Tg CO <sub>2</sub> Eq.) |                          | Assessment     | Total        |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal   | CO <sub>2</sub>                    | 1,697.29                 | 1,939.12                 | 0.29           | 0.29         |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>                    | 1,244.98                 | 1,414.34                 | 0.21           | 0.49         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas  | CO <sub>2</sub>                    | 976.63                   | 1,159.13                 | 0.17           | 0.67         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil  | CO <sub>2</sub>                    | 669.99                   | 674.46                   | 0.10           | 0.76         |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils   | N <sub>2</sub> O                   | 193.71                   | 217.83                   | 0.03           | 0.80         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites   | CH <sub>4</sub>                    | 212.07                   | 207.49                   | 0.03           | 0.83         |
| Mobile Combustion: Aviation   | CO <sub>2</sub>                    | 176.88                   | 178.96                   | 0.03           | 0.85         |
| Fugitive Emissions from Natural Gas Operations  | CH <sub>4</sub>                    | 122.01                   | 126.02                   | 0.02           | 0.87         |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock   | CH <sub>4</sub>                    | 117.85                   | 118.33                   | 0.02           | 0.89         |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture   | N <sub>2</sub> O                   | 73.83                    | 80.33                    | 0.01           | 0.90         |
| CO <sub>2</sub> Emissions from Iron and Steel Production  | CO <sub>2</sub>                    | 85.41                    | 71.86                    | 0.01           | 0.91         |
| Fugitive Emissions from Coal Mining and Handling  | CH <sub>4</sub>                    | 87.12                    | 68.13                    | 0.01           | 0.92         |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O                   | 48.56                    | 58.28                    | 0.01           | 0.93         |
| CO <sub>2</sub> Emissions from Cement Production  | CO <sub>2</sub>                    | 33.28                    | 38.32                    | 0.01           | 0.94         |
| Emissions from Substitutes for Ozone Depleting Substances   | Several                            | 0.94                     | 37.72                    | 0.01           | 0.94         |
| CH <sub>4</sub> Emissions from Manure Management  | CH <sub>4</sub>                    | 31.28                    | 36.56                    | 0.01           | 0.95         |
| Mobile Combustion: Marine   | CO <sub>2</sub>                    | 48.60                    | 33.64                    | <0.01          | 0.95         |
| HFC-23 Emissions from HCFC-22 Manufacture   | HFCs                               | 34.98                    | 29.99                    | <0.01          | 0.96         |
| CH <sub>4</sub> Emissions from Wastewater Handling  | CH <sub>4</sub>                    | 24.08                    | 27.33                    | <0.01          | 0.96         |
| SF <sub>6</sub> Emissions from Electrical Equipment   | SF <sub>6</sub>                    | 32.10                    | 25.24                    | <0.01          | 0.96         |
| Fugitive Emissions from Oil Operations  | CH <sub>4</sub>                    | 27.49                    | 23.58                    | <0.01          | 0.97         |
| N <sub>2</sub> O Emissions from Nitric Acid Production  | $N_2O$                             | 17.85                    | 21.22                    | <0.01          | 0.97         |
| CO <sub>2</sub> Emissions from Waste Incineration   | CO <sub>2</sub>                    | 14.07                    | 21.17                    | <0.01          | 0.97         |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application  | CO <sub>2</sub>                    | 19.31                    | 20.65                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Manure Management   | N <sub>2</sub> O                   | 16.18                    | 17.28                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Wastewater Handling   | N <sub>2</sub> O                   | 12.71                    | 14.40                    | <0.01          | 0.98         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion  | N <sub>2</sub> O                   | 12.52                    | 13.71                    | <0.01          | 0.98         |
| CO <sub>2</sub> Emissions from Lime Production  | CO <sub>2</sub>                    | 11.24                    | 13.69                    | <0.01          | 0.99         |
| PFC Emissions from Aluminum Production  | PFCs                               | 18.11                    | 10.99                    | <0.01          | 0.99         |
| N <sub>2</sub> O Emissions from Adipic Acid Production  | N <sub>2</sub> O                   | 15.20                    | 10.31                    | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring  | CO <sub>2</sub>                    | 5.51                     | 7.57                     | <0.01          | 0.99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion  | CH <sub>4</sub>                    | 8.14                     | 7.52                     | <0.01          | 0.99         |
| CH <sub>4</sub> Emissions from Rice Production  | CH <sub>4</sub>                    | 7.12                     | 7.48                     | < 0.01         | 0.99         |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use   | CO <sub>2</sub>                    | 5.47                     | 7.05                     | <0.01          | 0.99         |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture  | SF <sub>6</sub>                    | 2.86                     | 6.55                     | <0.01          | 0.99         |
| SF <sub>6</sub> Emissions from Magnesium Production   | SF <sub>6</sub>                    | 5.37                     | 6.34                     | < 0.01         | 1.00         |
| CO <sub>2</sub> Emissions from Aluminum Production  | CO <sub>2</sub>                    | 6.31                     | 5.62                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage  | N <sub>2</sub> O                   | 4.30                     | 4.79                     | <0.01          | 1.00         |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>                    | 4.73                     | 4.47                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption   | CO <sub>2</sub>                    | 4.14                     | 4.35                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Ferroalloys  | CO <sub>2</sub>                    | 1.98                     | 2.04                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production  | CO <sub>2</sub>                    | 1.31<br>1.71             | 1.84                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | N <sub>2</sub> O                   |                          | 1.74                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Petrochemical Production   | CH <sub>4</sub>                    | 1.17                     | 1.61                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption<br>CH <sub>4</sub> Emissions from Agricultural Residue Burning | CO <sub>2</sub><br>CH <sub>4</sub> | 0.90<br>0.68             | 1.16<br>0.76             | <0.01<br><0.01 | 1.00<br>1.00 |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning  | N <sub>2</sub> O                   | 0.37                     | 0.76                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | CO <sub>2</sub>                    | 0.40                     | 0.43                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | N <sub>2</sub> O                   | 0.40                     | 0.30                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from Waste Incineration  | N <sub>2</sub> O                   | 0.29                     | 0.26                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | CH <sub>4</sub>                    | 0.16                     | 0.20                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation  Mobile Combustion: Marine  | CH <sub>4</sub>                    | 0.10                     | 0.06                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Silicon Carbide Production   | CH <sub>4</sub>                    | 0.03                     | 0.00                     | <0.01          | 1.00         |
| TOTAL   | J1 14                              | 6,139.64                 | 6,782.59                 | 1.00           | 1.00         |
| Note: Sinks (e.g. LUCE Landfill Carbon Storage) are not include   | ad in this analysis                |                          | 0,102.03                 | 1.00           |              |

Table R-11: 1998 Key Source Tier 1 Analysis - Level Assessment

|   | Direct<br>Greenhouse               | Base Year<br>Estimate    | Current Year<br>Estimate | Level          | Cumulative   |
|---|------------------------------------|--------------------------|--------------------------|----------------|--------------|
| IPCC Source Categories  | Gas                                | (Tg CO <sub>2</sub> Eq.) |                          | Assessment     | Total        |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal   | CO <sub>2</sub>                    | 1,697.29                 | 1,957.32                 | 0.29           | 0.29         |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>                    | 1,244.98                 | 1,443.49                 | 0.21           | 0.50         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas  | CO <sub>2</sub>                    | 976.63                   | 1,142.14                 | 0.17           | 0.67         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil  | CO <sub>2</sub>                    | 669.99                   | 666.77                   | 0.10           | 0.77         |
| Direct N2O Emissions from Agricultural Soils  | N <sub>2</sub> O                   | 193.71                   | 218.97                   | 0.03           | 0.80         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites   | CH <sub>4</sub>                    | 212.07                   | 202.42                   | 0.03           | 0.83         |
| Mobile Combustion: Aviation   | CO <sub>2</sub>                    | 176.88                   | 183.02                   | 0.03           | 0.85         |
| Fugitive Emissions from Natural Gas Operations  | CH <sub>4</sub>                    | 122.01                   | 123.97                   | 0.02           | 0.87         |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock                                   | CH4                                | 117.85                   | 116.70                   | 0.02           | 0.89         |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture                                       | N <sub>2</sub> O                   | 73.83                    | 80.18                    | 0.01           | 0.90         |
| Fugitive Emissions from Coal Mining and Handling  | CH4                                | 87.12                    | 67.94                    | 0.01           | 0.91         |
| CO <sub>2</sub> Emissions from Iron and Steel Production  | CO <sub>2</sub>                    | 85.41                    | 67.43                    | 0.01           | 0.92         |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O                   | 48.56                    | 57.61                    | 0.01           | 0.93         |
| Emissions from Substitutes for Ozone Depleting Substances   | Several                            | 0.94                     | 44.53                    | 0.01           | 0.94         |
| HFC-23 Emissions from HCFC-22 Manufacture   | HFCs                               | 34.98                    | 40.15                    | 0.01           | 0.94         |
| CO <sub>2</sub> Emissions from Cement Production  | CO <sub>2</sub>                    | 33.28                    | 39.22                    | 0.01           | 0.95         |
| CH <sub>4</sub> Emissions from Manure Management  | CH <sub>4</sub>                    | 31.28                    | 39.02                    | 0.01           | 0.95         |
| CH <sub>4</sub> Emissions from Wastewater Handling  | CH <sub>4</sub>                    | 24.08                    | 27.67                    | <0.01          | 0.96         |
| Mobile Combustion: Marine   | CO <sub>2</sub>                    | 48.60                    | 27.40                    | < 0.01         | 0.96         |
| Fugitive Emissions from Oil Operations  | CH <sub>4</sub>                    | 27.49                    | 22.90                    | <0.01          | 0.97         |
| CO <sub>2</sub> Emissions from Waste Incineration   | CO <sub>2</sub>                    | 14.07                    | 22.45                    | < 0.01         | 0.97         |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application                                      | CO <sub>2</sub>                    | 19.31                    | 21.93                    | <0.01          | 0.97         |
| N <sub>2</sub> O Emissions from Nitric Acid Production  | N <sub>2</sub> O                   | 17.85                    | 20.89                    | < 0.01         | 0.98         |
| SF <sub>6</sub> Emissions from Electrical Equipment   | SF <sub>6</sub>                    | 32.10                    | 20.86                    | <0.01          | 0.98         |
| N <sub>2</sub> O Emissions from Manure Management   | N <sub>2</sub> O                   | 16.18                    | 17.33                    | < 0.01         | 0.98         |
| N <sub>2</sub> O Emissions from Wastewater Handling   | N <sub>2</sub> O                   | 12.71                    | 14.63                    | < 0.01         | 0.98         |
| CO <sub>2</sub> Emissions from Lime Production  | CO <sub>2</sub>                    | 11.24                    | 13.91                    | < 0.01         | 0.99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion  | N₂O<br>PFCs                        | 12.52                    | 13.69                    | < 0.01         | 0.99         |
| PFC Emissions from Aluminum Production  |                                    | 18.11                    | 9.04                     | < 0.01         | 0.99         |
| CH <sub>4</sub> Emissions from Rice Production<br>CO <sub>2</sub> Emissions from Limestone and Dolomite Use | CH <sub>4</sub><br>CO <sub>2</sub> | 7.12<br>5.47             | 7.90<br>7.33             | <0.01<br><0.01 | 0.99<br>0.99 |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture                                      | SF <sub>6</sub>                    | 2.86                     | 7.26                     | <0.01          | 0.99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion  | CH <sub>4</sub>                    | 8.14                     | 7.17                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring  | CO <sub>2</sub>                    | 5.51                     | 6.25                     | <0.01          | 0.99         |
| N <sub>2</sub> O Emissions from Adipic Acid Production  | N <sub>2</sub> O                   | 15.20                    | 5.99                     | <0.01          | 0.99         |
| CO <sub>2</sub> Emissions from Aluminum Production  | CO <sub>2</sub>                    | 6.31                     | 5.79                     | <0.01          | 1.00         |
| SF <sub>6</sub> Emissions from Magnesium Production   | SF <sub>6</sub>                    | 5.37                     | 5.79                     | <0.01          | 1.00         |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage  | N <sub>2</sub> O                   | 4.30                     | 4.79                     | <0.01          | 1.00         |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>                    | 4.73                     | 4.36                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption   | CO <sub>2</sub>                    | 4.14                     | 4.32                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Ferroalloys  | CO <sub>2</sub>                    | 1.98                     | 2.03                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production  | CO <sub>2</sub>                    | 1.31                     | 1.82                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | N <sub>2</sub> O                   | 1.71                     | 1.78                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Petrochemical Production   | CH <sub>4</sub>                    | 1.17                     | 1.64                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption  | CO <sub>2</sub>                    | 0.90                     | 1.19                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning   | CH <sub>4</sub>                    | 0.68                     | 0.78                     | <0.01          | 1.00         |
| N₂O Emissions from Agricultural Residue Burning   | N <sub>2</sub> O                   | 0.37                     | 0.45                     | <0.01          | 1.00         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy                                    | CO <sub>2</sub>                    | 0.40                     | 0.38                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | N <sub>2</sub> O                   | 0.36                     | 0.26                     | < 0.01         | 1.00         |
| N <sub>2</sub> O Emissions from Waste Incineration  | N <sub>2</sub> O                   | 0.29                     | 0.24                     | <0.01          | 1.00         |
| Mobile Combustion: Aviation   | CH <sub>4</sub>                    | 0.16                     | 0.15                     | <0.01          | 1.00         |
| Mobile Combustion: Marine   | CH <sub>4</sub>                    | 0.07                     | 0.05                     | <0.01          | 1.00         |
| CH <sub>4</sub> Emissions from Silicon Carbide Production   | CH <sub>4</sub>                    | 0.03                     | 0.02                     | < 0.01         | 1.00         |
|   |                                    |                          |                          |                |              |

Table R-12: 1999 Key Source Tier 1 Analysis - Level Assessment

|  | Direct                 | Base Year                | Current Year             |                 |                   |
|--|------------------------|--------------------------|--------------------------|-----------------|-------------------|
| IDCC Sauras Catagorias   | Greenhouse             | Estimate                 | Estimate                 | Level           | Cumulative        |
| IPCC Source Categories   | Gas<br>CO <sub>2</sub> | (Tg CO <sub>2</sub> Eq.) | (Tg CO <sub>2</sub> Eq.) | Assessment 0.29 | <b>Total</b> 0.29 |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal<br>Mobile Combustion: Road & Other | CO <sub>2</sub>        | 1,697.29<br>1,244.98     | 1,961.09<br>1,487.68     | 0.29            | 0.29              |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                                     | CO <sub>2</sub>        | 976.63                   | 1,148.19                 | 0.22            | 0.50              |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                                     | CO <sub>2</sub>        | 669.99                   | 666.10                   | 0.17            | 0.07              |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils                                      | N <sub>2</sub> O       | 193.71                   | 216.84                   | 0.10            | 0.80              |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                                      | CH <sub>4</sub>        | 212.07                   | 203.73                   | 0.03            | 0.83              |
| Mobile Combustion: Aviation  | CO <sub>2</sub>        | 176.88                   | 186.77                   | 0.03            | 0.86              |
| Fugitive Emissions from Natural Gas Operations   | CH <sub>4</sub>        | 122.01                   | 120.28                   | 0.02            | 0.87              |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock                      | CH <sub>4</sub>        | 117.85                   | 116.58                   | 0.02            | 0.89              |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture                          | N <sub>2</sub> O       | 73.83                    | 80.16                    | 0.01            | 0.90              |
| CO <sub>2</sub> Emissions from Iron and Steel Production                                       | CO <sub>2</sub>        | 85.41                    | 64.38                    | 0.01            | 0.91              |
| Fugitive Emissions from Coal Mining and Handling   | CH <sub>4</sub>        | 87.12                    | 63.69                    | 0.01            | 0.92              |
| Mobile Combustion: Road & Other  | N <sub>2</sub> O       | 48.56                    | 56.50                    | 0.01            | 0.93              |
| Emissions from Substitutes for Ozone Depleting Substances                                      | Several                | 0.94                     | 50.86                    | 0.01            | 0.94              |
| CO <sub>2</sub> Emissions from Cement Production   | CO <sub>2</sub>        | 33.28                    | 39.99                    | 0.01            | 0.94              |
| CH <sub>4</sub> Emissions from Manure Management   | CH <sub>4</sub>        | 31.28                    | 38.89                    | 0.01            | 0.95              |
| Mobile Combustion: Marine  | CO <sub>2</sub>        | 48.60                    | 38.58                    | 0.01            | 0.95              |
| HFC-23 Emissions from HCFC-22 Manufacture  | HFCs                   | 34.98                    | 30.41                    | <0.01           | 0.96              |
| CH <sub>4</sub> Emissions from Wastewater Handling   | CH <sub>4</sub>        | 24.08                    | 28.16                    | < 0.01          | 0.96              |
| CO <sub>2</sub> Emissions from Waste Incineration  | $CO_2$                 | 14.07                    | 23.90                    | < 0.01          | 0.97              |
| Fugitive Emissions from Oil Operations   | CH <sub>4</sub>        | 27.49                    | 21.60                    | < 0.01          | 0.97              |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application                         | $CO_2$                 | 19.31                    | 20.61                    | < 0.01          | 0.97              |
| N <sub>2</sub> O Emissions from Nitric Acid Production   | $N_2O$                 | 17.85                    | 20.12                    | < 0.01          | 0.98              |
| N <sub>2</sub> O Emissions from Manure Management  | $N_2O$                 | 16.18                    | 17.35                    | < 0.01          | 0.98              |
| SF <sub>6</sub> Emissions from Electrical Equipment  | SF <sub>6</sub>        | 32.10                    | 16.40                    | < 0.01          | 0.98              |
| N₂O Emissions from Wastewater Handling   | $N_2O$                 | 12.71                    | 15.11                    | < 0.01          | 0.98              |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                                       | $N_2O$                 | 12.52                    | 13.72                    | < 0.01          | 0.99              |
| CO <sub>2</sub> Emissions from Lime Production   | $CO_2$                 | 11.24                    | 13.47                    | < 0.01          | 0.99              |
| PFC Emissions from Aluminum Production   | PFCs                   | 18.11                    | 8.94                     | < 0.01          | 0.99              |
| CH <sub>4</sub> Emissions from Rice Production   | CH <sub>4</sub>        | 7.12                     | 8.29                     | < 0.01          | 0.99              |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture                         | SF <sub>6</sub>        | 2.86                     | 7.73                     | <0.01           | 0.99              |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                                      | CO <sub>2</sub>        | 5.47                     | 7.67                     | <0.01           | 0.99              |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                                       | CH <sub>4</sub>        | 8.14                     | 7.38                     | <0.01           | 0.99              |
| CO <sub>2</sub> Emissions from Natural Gas Flaring   | CO <sub>2</sub>        | 5.51                     | 6.68                     | <0.01           | 0.99              |
| SF <sub>6</sub> Emissions from Magnesium Production  | SF <sub>6</sub>        | 5.37                     | 6.01                     | <0.01           | 0.99              |
| CO <sub>2</sub> Emissions from Aluminum Production   | $CO_2$                 | 6.31                     | 5.90                     | <0.01           | 1.00              |
| N <sub>2</sub> O Emissions from Adipic Acid Production   | $N_2O$                 | 15.20                    | 5.48                     | <0.01           | 1.00              |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage                                 | $N_2O$                 | 4.30                     | 4.79                     | <0.01           | 1.00              |
| Mobile Combustion: Road & Other  | CH <sub>4</sub>        | 4.73                     | 4.26                     | <0.01           | 1.00              |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption                            | CO <sub>2</sub>        | 4.14                     | 4.22                     | <0.01           | 1.00              |
| CO <sub>2</sub> Emissions from Ferroalloys   | CO <sub>2</sub>        | 1.98                     | 2.00                     | <0.01           | 1.00              |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                                     | CO <sub>2</sub>        | 1.31                     | 1.85                     | < 0.01          | 1.00              |
| Mobile Combustion: Aviation  | N <sub>2</sub> O       | 1.71                     | 1.82                     | <0.01           | 1.00              |
| CH <sub>4</sub> Emissions from Petrochemical Production  | CH <sub>4</sub>        | 1.17                     | 1.67                     | <0.01           | 1.00              |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                                     | CO <sub>2</sub>        | 0.90                     | 1.21                     | < 0.01          | 1.00              |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning                                    | CH <sub>4</sub>        | 0.68                     | 0.76                     | <0.01           | 1.00              |
| N₂O Emissions from Agricultural Residue Burning  | N <sub>2</sub> O       | 0.37                     | 0.44                     | <0.01           | 1.00              |
| Mobile Combustion: Marine  | N <sub>2</sub> O       | 0.36                     | 0.44                     | < 0.01          | 1.00              |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy                       | CO <sub>2</sub>        | 0.40                     | 0.38                     | < 0.01          | 1.00              |
| N₂O Emissions from Waste Incineration  | N <sub>2</sub> O       | 0.29                     | 0.23                     | < 0.01          | 1.00              |
| Mobile Combustion: Aviation  | CH <sub>4</sub>        | 0.16                     | 0.15                     | <0.01           | 1.00              |
| Mobile Combustion: Marine  | CH <sub>4</sub>        | 0.07                     | 0.08                     | <0.01           | 1.00              |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                                      | CH <sub>4</sub>        | 0.03                     | 0.02                     | <0.01           | 1.00              |
| TOTAL  Note: Sinks (e.g., LLICE Landfill Carbon Storage) are not include                       | - d in this lucio      | 6,139.64                 | 6,849.54                 | 1.00            |                   |

Table R-13: 2000 Key Source Tier 1 Analysis - Level Assessment

|   | Direct            | Base Year                            | Current Year                         | Laural              | Compositions        |
|---|-------------------|--------------------------------------|--------------------------------------|---------------------|---------------------|
| IPCC Source Categories  | Greenhouse<br>Gas | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Level<br>Assessment | Cumulative<br>Total |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal               | CO <sub>2</sub>   | 1,697.29                             | 2,051.53                             | 0.29                | 0.29                |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>   | 1.244.98                             | 1,507.74                             | 0.21                | 0.51                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas                | CO <sub>2</sub>   | 976.63                               | 1,204.81                             | 0.17                | 0.68                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil                | CO <sub>2</sub>   | 669.99                               | 672.73                               | 0.10                | 0.77                |
| Direct N2O Emissions from Agricultural Soils                              | N <sub>2</sub> O  | 193.71                               | 215.85                               | 0.03                | 0.80                |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites                 | CH <sub>4</sub>   | 212.07                               | 205.76                               | 0.03                | 0.83                |
| Mobile Combustion: Aviation   | CO <sub>2</sub>   | 176.88                               | 195.32                               | 0.03                | 0.86                |
| Fugitive Emissions from Natural Gas Operations                            | CH <sub>4</sub>   | 122.01                               | 121.20                               | 0.02                | 0.88                |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock | CH <sub>4</sub>   | 117.85                               | 115.68                               | 0.02                | 0.89                |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture     | N <sub>2</sub> O  | 73.83                                | 78.72                                | 0.01                | 0.90                |
| CO <sub>2</sub> Emissions from Iron and Steel Production                  | CO <sub>2</sub>   | 85.41                                | 65.76                                | 0.01                | 0.91                |
| Fugitive Emissions from Coal Mining and Handling                          | CH <sub>4</sub>   | 87.12                                | 60.95                                | 0.01                | 0.92                |
| Mobile Combustion: Marine   | CO <sub>2</sub>   | 48.60                                | 59.67                                | 0.01                | 0.93                |
| Emissions from Substitutes for Ozone Depleting Substances                 | Several           | 0.94                                 | 57.29                                | 0.01                | 0.94                |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O  | 48.56                                | 55.04                                | 0.01                | 0.95                |
| CO <sub>2</sub> Emissions from Cement Production                          | CO <sub>2</sub>   | 33.28                                | 41.19                                | 0.01                | 0.95                |
| CH <sub>4</sub> Emissions from Manure Management                          | CH <sub>4</sub>   | 31.28                                | 38.22                                | 0.01                | 0.96                |
| HFC-23 Emissions from HCFC-22 Manufacture                                 | HFCs              | 34.98                                | 29.79                                | < 0.01              | 0.96                |
| CH <sub>4</sub> Emissions from Wastewater Handling                        | CH <sub>4</sub>   | 24.08                                | 28.31                                | < 0.01              | 0.97                |
| CO <sub>2</sub> Emissions from Waste Incineration                         | CO <sub>2</sub>   | 14.07                                | 25.35                                | < 0.01              | 0.97                |
| Fugitive Emissions from Oil Operations                                    | CH <sub>4</sub>   | 27.49                                | 21.21                                | < 0.01              | 0.97                |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application    | CO <sub>2</sub>   | 19.31                                | 19.59                                | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Nitric Acid Production                    | N <sub>2</sub> O  | 17.85                                | 19.08                                | < 0.01              | 0.98                |
| N <sub>2</sub> O Emissions from Manure Management                         | $N_2O$            | 16.18                                | 17.90                                | < 0.01              | 0.98                |
| SF <sub>6</sub> Emissions from Electrical Equipment                       | SF <sub>6</sub>   | 32.10                                | 15.42                                | < 0.01              | 0.98                |
| N <sub>2</sub> O Emissions from Wastewater Handling                       | $N_2O$            | 12.71                                | 15.14                                | < 0.01              | 0.98                |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion                  | N <sub>2</sub> O  | 12.52                                | 14.25                                | < 0.01              | 0.99                |
| CO <sub>2</sub> Emissions from Lime Production                            | CO <sub>2</sub>   | 11.24                                | 13.31                                | < 0.01              | 0.99                |
| PFC Emissions from Aluminum Production                                    | PFCs              | 18.11                                | 7.92                                 | < 0.01              | 0.99                |
| Non-CO2 Emissions from Stationary Combustion                              | CH <sub>4</sub>   | 8.14                                 | 7.63                                 | < 0.01              | 0.99                |
| CH <sub>4</sub> Emissions from Rice Production                            | CH <sub>4</sub>   | 7.12                                 | 7.49                                 | < 0.01              | 0.99                |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture    | SF <sub>6</sub>   | 2.86                                 | 7.37                                 | < 0.01              | 0.99                |
| N <sub>2</sub> O Emissions from Adipic Acid Production                    | $N_2O$            | 15.20                                | 6.04                                 | < 0.01              | 0.99                |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use                 | CO <sub>2</sub>   | 5.47                                 | 5.76                                 | < 0.01              | 0.99                |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                        | CO <sub>2</sub>   | 5.51                                 | 5.53                                 | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Aluminum Production                        | CO <sub>2</sub>   | 6.31                                 | 5.41                                 | < 0.01              | 1.00                |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage            | $N_2O$            | 4.30                                 | 4.79                                 | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption       | CO <sub>2</sub>   | 4.14                                 | 4.18                                 | < 0.01              | 1.00                |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>   | 4.73                                 | 4.17                                 | < 0.01              | 1.00                |
| SF <sub>6</sub> Emissions from Magnesium Production                       | SF <sub>6</sub>   | 5.37                                 | 3.17                                 | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production                | CO <sub>2</sub>   | 1.31                                 | 1.92                                 | <0.01               | 1.00                |
| Mobile Combustion: Aviation   | $N_2O$            | 1.71                                 | 1.90                                 | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Ferroalloys                                | CO <sub>2</sub>   | 1.98                                 | 1.72                                 | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Petrochemical Production                   | CH <sub>4</sub>   | 1.17                                 | 1.67                                 | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption                | CO <sub>2</sub>   | 0.90                                 | 1.23                                 | < 0.01              | 1.00                |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning               | CH <sub>4</sub>   | 0.68                                 | 0.78                                 | <0.01               | 1.00                |
| Mobile Combustion: Marine   | $N_2O$            | 0.36                                 | 0.52                                 | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning              | $N_2O$            | 0.37                                 | 0.46                                 | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy  | CO <sub>2</sub>   | 0.40                                 | 0.36                                 | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Waste Incineration                        | N <sub>2</sub> O  | 0.29                                 | 0.24                                 | < 0.01              | 1.00                |
| Mobile Combustion: Aviation   | CH <sub>4</sub>   | 0.16                                 | 0.16                                 | <0.01               | 1.00                |
| Mobile Combustion: Marine   | CH <sub>4</sub>   | 0.07                                 | 0.10                                 | < 0.01              | 1.00                |
| CH <sub>4</sub> Emissions from Silicon Carbide Production                 | CH <sub>4</sub>   | 0.03                                 | 0.01                                 | < 0.01              | 1.00                |
| TOTAL   |                   | 6,139.64                             | 7,047.36                             | 1.00                |                     |

Table R-14: 2001 Key Source Tier 1 Analysis - Level Assessment

|   | Direct                             | Base Year                            | Current Year | Laval               | Committee           |
|---|------------------------------------|--------------------------------------|--------------|---------------------|---------------------|
| IPCC Source Categories  | Greenhouse<br>Gas                  | Estimate<br>(Tg CO <sub>2</sub> Eq.) | Estimate     | Level<br>Assessment | Cumulative<br>Total |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal   | CO <sub>2</sub>                    | 1,697.29                             | 1,993.78     | 0.29                | 0.29                |
| Mobile Combustion: Road & Other   | CO <sub>2</sub>                    | 1,244.98                             | 1,538.66     | 0.22                | 0.51                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas  | CO <sub>2</sub>                    | 976.63                               | 1,168.23     | 0.17                | 0.68                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil  | CO <sub>2</sub>                    | 669.99                               | 671.62       | 0.10                | 0.77                |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils   | N <sub>2</sub> O                   | 193.71                               | 216.59       | 0.03                | 0.81                |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites   | CH <sub>4</sub>                    | 212.07                               | 202.93       | 0.03                | 0.84                |
| Mobile Combustion: Aviation   | CO <sub>2</sub>                    | 176.88                               | 183.93       | 0.03                | 0.86                |
| Fugitive Emissions from Natural Gas Operations  | CH <sub>4</sub>                    | 122.01                               | 117.35       | 0.02                | 0.88                |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domestic Livestock                               | CH <sub>4</sub>                    | 117.85                               | 114.82       | 0.02                | 0.90                |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture                                   | N <sub>2</sub> O                   | 73.83                                | 77.73        | 0.02                | 0.91                |
| Emissions from Substitutes for Ozone Depleting Substances   | Several                            | 0.94                                 | 63.65        | 0.01                | 0.92                |
| Fugitive Emissions from Coal Mining and Handling  | CH <sub>4</sub>                    | 87.12                                | 60.75        | 0.01                | 0.92                |
| CO <sub>2</sub> Emissions from Iron and Steel Production  | CO <sub>2</sub>                    | 85.41                                | 59.07        | 0.01                | 0.93                |
| Mobile Combustion: Marine   | CO <sub>2</sub>                    | 48.60                                | 58.28        | 0.01                | 0.94                |
| Mobile Combustion: Road & Other   | N <sub>2</sub> O                   | 48.56                                | 52.65        | 0.01                | 0.95                |
| CO <sub>2</sub> Emissions from Cement Production  | CO <sub>2</sub>                    | 33.28                                | 41.36        | 0.01                | 0.95                |
|   | CH <sub>4</sub>                    | 31.28                                | 38.85        | 0.01                | 0.96                |
| CH4 Emissions from Manure Management  | CH <sub>4</sub>                    |                                      | 28.35        |                     |                     |
| CH <sub>4</sub> Emissions from Wastewater Handling<br>CO <sub>2</sub> Emissions from Waste Incineration |                                    | 24.08                                |              | <0.01               | 0.96                |
|   | CO <sub>2</sub><br>CH <sub>4</sub> | 14.07                                | 26.91        | <0.01               | 0.97                |
| Fugitive Emissions from Oil Operations  | HFCs                               | 27.49                                | 21.23        | <0.01               | 0.97                |
| HFC-23 Emissions from HCFC-22 Manufacture   |                                    | 34.98                                | 19.82        | <0.01               | 0.97                |
| N <sub>2</sub> O Emissions from Manure Management   | N <sub>2</sub> O                   | 16.18                                | 18.00        | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Nitric Acid Production  | N₂O                                | 17.85                                | 17.60        | <0.01               | 0.98                |
| CO <sub>2</sub> Emissions from Ammonia Production and Urea Application                                  | CO <sub>2</sub>                    | 19.31                                | 16.59        | <0.01               | 0.98                |
| SF <sub>6</sub> Emissions from Electrical Equipment   | SF <sub>6</sub>                    | 32.10                                | 15.32        | <0.01               | 0.98                |
| N <sub>2</sub> O Emissions from Wastewater Handling   | N <sub>2</sub> O                   | 12.71                                | 15.30        | <0.01               | 0.99                |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion   | N₂O                                | 12.52                                | 14.18        | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Lime Production  | CO <sub>2</sub>                    | 11.24                                | 12.86        | <0.01               | 0.99                |
| CH <sub>4</sub> Emissions from Rice Production  | CH <sub>4</sub>                    | 7.12                                 | 7.64         | <0.01               | 0.99                |
| Non- CO <sub>2</sub> Emissions from Stationary Combustion   | CH₄                                | 8.14                                 | 7.41         | <0.01               | 0.99                |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture                                  | SF <sub>6</sub>                    | 2.86                                 | 5.51         | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use   | CO <sub>2</sub>                    | 5.47                                 | 5.28         | <0.01               | 0.99                |
| CO <sub>2</sub> Emissions from Natural Gas Flaring  | CO <sub>2</sub>                    | 5.51                                 | 5.18         | < 0.01              | 0.99                |
| N <sub>2</sub> O Emissions from Adipic Acid Production  | N <sub>2</sub> O                   | 15.20                                | 4.92         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage  | N <sub>2</sub> O                   | 4.30                                 | 4.79         | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption                                     | CO <sub>2</sub>                    | 4.14                                 | 4.15         | <0.01               | 1.00                |
| PFC Emissions from Aluminum Production  | PFCs                               | 18.11                                | 4.13         | < 0.01              | 1.00                |
| CO <sub>2</sub> Emissions from Aluminum Production  | CO <sub>2</sub>                    | 6.31                                 | 4.11         | <0.01               | 1.00                |
| Mobile Combustion: Road & Other   | CH <sub>4</sub>                    | 4.73                                 | 4.08         | <0.01               | 1.00                |
| SF <sub>6</sub> Emissions from Magnesium Production   | SF <sub>6</sub>                    | 5.37                                 | 2.53         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production  | CO <sub>2</sub>                    | 1.31                                 | 1.86         | <0.01               | 1.00                |
| Mobile Combustion: Aviation   | N <sub>2</sub> O                   | 1.71                                 | 1.79         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Petrochemical Production   | CH <sub>4</sub>                    | 1.17                                 | 1.49         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Ferroalloys  | CO <sub>2</sub>                    | 1.98                                 | 1.33         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption  | CO <sub>2</sub>                    | 0.90                                 | 1.26         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning   | CH <sub>4</sub>                    | 0.68                                 | 0.76         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning  | N <sub>2</sub> O                   | 0.37                                 | 0.46         | <0.01               | 1.00                |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy                                | CO <sub>2</sub>                    | 0.40                                 | 0.35         | <0.01               | 1.00                |
| Mobile Combustion: Marine   | $N_2O$                             | 0.36                                 | 0.31         | <0.01               | 1.00                |
| N <sub>2</sub> O Emissions from Waste Incineration  | N <sub>2</sub> O                   | 0.29                                 | 0.24         | <0.01               | 1.00                |
| Mobile Combustion: Aviation   | CH <sub>4</sub>                    | 0.16                                 | 0.15         | <0.01               | 1.00                |
| Mobile Combustion: Marine   | CH <sub>4</sub>                    | 0.07                                 | 0.06         | <0.01               | 1.00                |
| CH <sub>4</sub> Emissions from Silicon Carbide Production   | CH <sub>4</sub>                    | 0.03                                 | 0.01         | <0.01               | 1.00                |
| TOTAL   |                                    | 6,139.64                             | 6,936.21     | 1.00                |                     |
| Note: Sinks (e.g., LUCF, Landfill Carbon Storage) are not include                                       | ed in this analysi                 | is                                   |              |                     |                     |

Table R-15: 1990-2001 Key Source Tier 1 Analysis - Trend Assessment

|   | Direct<br>Greenhouse | Base Year<br>Estimate | Current Year<br>Estimate | Trend ( | Percent Contribution | Cumulative |
|---|----------------------|-----------------------|--------------------------|---------|----------------------|------------|
| IPCC Source Categories  | Gas                  |                       | (Tg CO <sub>2</sub> Eq.) |         | to Trend             | Total      |
| Mobile Combustion: Road & Other                                       | CO <sub>2</sub>      | 1,244.98              | 1,538.66                 | 0.02    | 18                   | 18         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Oil            | CO <sub>2</sub>      | 669.99                | 671.62                   | 0.01    | 12                   | 30         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Coal           | CO <sub>2</sub>      | 1,697.29              | 1,993.78                 | 0.01    | 11                   | 40         |
| CO <sub>2</sub> Emissions from Stationary Combustion - Gas            | CO <sub>2</sub>      | 976.63                | 1,168.23                 | 0.01    | 9                    | 49         |
| Emissions from Substitutes for Ozone Depleting Substances             | Several              | 0.94                  | 63.65                    | 0.01    | 9                    | 58         |
| Fugitive Emissions from Coal Mining and Handling                      | CH <sub>4</sub>      | 87.12                 | 60.75                    | <0.01   | 5                    | 63         |
| CO <sub>2</sub> Emissions from Iron and Steel Production              | CO <sub>2</sub>      | 85.41                 | 59.07                    | <0.01   | 5                    | 68         |
| CH <sub>4</sub> Emissions from Solid Waste Disposal Sites             | CH <sub>4</sub>      | 212.07                | 202.93                   | <0.01   | 5                    | 73         |
| SF <sub>6</sub> Emissions from Electrical Equipment                   | SF <sub>6</sub>      | 32.10                 | 15.32                    | <0.01   | 3                    | 76         |
| Fugitive Emissions from Natural Gas Operations                        | CH <sub>4</sub>      | 122.01                | 117.35                   | <0.01   | 3                    | 79         |
| HFC-23 Emissions from HCFC-22 Manufacture                             | HFCs                 | 34.98                 | 19.82                    | <0.01   | 3                    | 82         |
| CH <sub>4</sub> Emissions from Enteric Fermentation in Domesti        | cCH <sub>4</sub>     | 117.85                | 114.82                   | <0.01   | 3                    | 84         |
| Livestock   |                      |                       |                          |         |                      |            |
| PFC Emissions from Aluminum Production                                | PFCs                 | 18.11                 | 4.13                     | <0.01   | 2                    | 87         |
| Mobile Combustion: Aviation   | CO <sub>2</sub>      | 176.88                | 183.93                   | <0.01   | 2                    | 89         |
| N <sub>2</sub> O Emissions from Adipic Acid Production                | N <sub>2</sub> O     | 15.20                 | 4.92                     | <0.01   | 2                    | 90         |
| CO <sub>2</sub> Emissions from Waste Incineration                     | CO <sub>2</sub>      | 14.07                 | 26.91                    | <0.01   | 2                    | 92         |
| Fugitive Emissions from Oil Operations                                | CH <sub>4</sub>      | 27.49                 | 21.23                    | <0.01   | 1                    | 93         |
| Indirect N <sub>2</sub> O Emissions from Nitrogen Used in Agriculture | N <sub>2</sub> O     | 73.83                 | 77.73                    | <0.01   | 1                    | 94         |
| CO <sub>2</sub> Emissions from Ammonia Production and Ure             | aCO <sub>2</sub>     | 19.31                 | 16.59                    | <0.01   | 1                    | 95         |
| Application   |                      |                       |                          |         |                      |            |
| CO <sub>2</sub> Emissions from Cement Production                      | CO <sub>2</sub>      | 33.28                 | 41.36                    | <0.01   | 1                    | 95         |
| SF <sub>6</sub> Emissions from Magnesium Production                   | SF <sub>6</sub>      | 5.37                  | 2.53                     | <0.01   | 0                    | 96         |
| CH <sub>4</sub> Emissions from Manure Management                      | CH <sub>4</sub>      | 31.28                 | 38.85                    | <0.01   | 0                    | 96         |
| Mobile Combustion: Marine   | CO <sub>2</sub>      | 48.60                 | 58.28                    | <0.01   | 0                    | 97         |
| CO <sub>2</sub> Emissions from Aluminum Production                    | $CO_2$               | 6.31                  | 4.11                     | <0.01   | 0                    | 97         |
| N <sub>2</sub> O Emissions from Nitric Acid Production                | N <sub>2</sub> O     | 17.85                 | 17.60                    | <0.01   | 0                    | 98         |
| PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor            | rSF <sub>6</sub>     | 2.86                  | 5.51                     | <0.01   | 0                    | 98         |
| Manufacture   |                      |                       |                          |         |                      |            |
| Direct N <sub>2</sub> O Emissions from Agricultural Soils             | $N_2O$               | 193.71                | 216.59                   | <0.01   | 0                    | 98         |
| Mobile Combustion: Road & Other                                       | $N_2O$               | 48.56                 | 52.65                    | <0.01   | 0                    | 99         |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion              | CH <sub>4</sub>      | 8.14                  | 7.41                     | <0.01   | 0                    | 99         |
| Mobile Combustion: Road & Other                                       | CH <sub>4</sub>      | 4.73                  | 4.08                     | <0.01   | 0                    | 99         |
| CH <sub>4</sub> Emissions from Wastewater Handling                    | CH <sub>4</sub>      | 24.08                 | 28.35                    | <0.01   | 0                    | 99         |
| CO <sub>2</sub> Emissions from Natural Gas Flaring                    | CO <sub>2</sub>      | 5.51                  | 5.18                     | <0.01   | 0                    | 99         |
| N <sub>2</sub> O Emissions from Wastewater Handling                   | $N_2O$               | 12.71                 | 15.30                    | <0.01   | 0                    | 99         |
| CO <sub>2</sub> Emissions from Ferroalloys                            | $CO_2$               | 1.98                  | 1.33                     | <0.01   | 0                    | 99         |
| CO <sub>2</sub> Emissions from Limestone and Dolomite Use             | CO <sub>2</sub>      | 5.47                  | 5.28                     | <0.01   | 0                    | 100        |
| CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption   | n CO <sub>2</sub>    | 4.14                  | 4.15                     | <0.01   | 0                    | 100        |
| CH <sub>4</sub> Emissions from Rice Production                        | CH <sub>4</sub>      | 7.12                  | 7.64                     | <0.01   | 0                    | 100        |
| CO <sub>2</sub> Emissions from Titanium Dioxide Production            | $CO_2$               | 1.31                  | 1.86                     | <0.01   | 0                    | 100        |
| N <sub>2</sub> O Emissions from Manure Management                     | N <sub>2</sub> O     | 16.18                 | 18.00                    | <0.01   | 0                    | 100        |
| CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption            | $CO_2$               | 0.90                  | 1.26                     | <0.01   | 0                    | 100        |
| CH <sub>4</sub> Emissions from Petrochemical Production               | CH <sub>4</sub>      | 1.17                  | 1.49                     | <0.01   | 0                    | 100        |
| CO <sub>2</sub> Emissions from Lime Production                        | CO <sub>2</sub>      | 11.24                 | 12.86                    | < 0.01  | 0                    | 100        |
| Mobile Combustion: Aviation   | N <sub>2</sub> O     | 1.71                  | 1.79                     | < 0.01  | 0                    | 100        |
| CO <sub>2</sub> Emissions from Stationary Combustion - Geotherma      | alCO <sub>2</sub>    | 0.40                  | 0.35                     | < 0.01  | 0                    | 100        |
| Energy  |                      |                       |                          |         |                      |            |
| Mobile Combustion: Marine   | $N_2O$               | 0.36                  | 0.31                     | <0.01   | 0                    | 100        |
| N <sub>2</sub> O Emissions from Waste Incineration                    | $N_2O$               | 0.29                  | 0.24                     | < 0.01  | 0                    | 100        |
| N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage        | $N_2O$               | 4.30                  | 4.79                     | <0.01   | 0                    | 100        |
| N <sub>2</sub> O Emissions from Agricultural Residue Burning          | $N_2O$               | 0.37                  | 0.46                     | < 0.01  | 0                    | 100        |
| Non-CO <sub>2</sub> Emissions from Stationary Combustion              | $N_2O$               | 12.52                 | 14.18                    | < 0.01  | 0                    | 100        |
| Mobile Combustion: Aviation   | CH <sub>4</sub>      | 0.16                  | 0.15                     | < 0.01  | 0                    | 100        |
| CH <sub>4</sub> Emissions from Silicon Carbide Production             | CH <sub>4</sub>      | 0.03                  | 0.01                     | < 0.01  | 0                    | 100        |
| Mobile Combustion: Marine   | CH <sub>4</sub>      | 0.07                  | 0.06                     | < 0.01  | 0                    | 100        |
| CH <sub>4</sub> Emissions from Agricultural Residue Burning           | CH <sub>4</sub>      | 0.68                  | 0.76                     | < 0.01  | 0                    | 100        |
| 2   | J1 17                | 0.00                  | 0.70                     | -0.01   |                      | 100        |

TOTAL 6,139.64 6,936.21 0.09 100.00

Note: Sinks (e.g., LUCF, Landfill Carbon Storage) are not included in this analysis.

# References

Flugsrud, K., W. Irving, and K. Rypdal (1999) *Methodological Choice in Inventory Preparation.* Suggestions for Good Practice Guidance. Statistics Norway Department of Economic Statistics. 1999/19.

IPCC (2000) Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories, Intergovernmental Panel on Climate Change, National Greenhouse Gas Inventories Programme.